


# A/E Hose Barb Fittings



A/E series Hose Barb Fittings 插心系列

### A/E Hose Barb Fittings 插心系列





#### 特點

應用於低壓水的傳遞。 使用hose 軟管,可以重複使用。

#### 材質

接頭、螺帽均採用黃銅JIS3604材質加工而成。 彎頭、三通均採用黃銅JIS3771材質鍛造並加工而成。

#### 工作溫度

使用於-40°C~71°C。

### 工作壓力

最大10.5bar的壓力使用。

### 組裝步驟

- 1. 正切且乾淨的剪切軟管到所需長度。
- 套上束套於軟管上。
- 塗上些許潤滑劑於軟管內,再將軟管推入接頭,直 到軟管底端碰觸六角。
- 4. 如下圖,將束套移至定位,並使用螺絲起子或板手 將束套夾緊。

#### Characteristic

Use for water flow in low pressure, Use with hose tubing, Can be used repeatedly.

#### Material

All connector, nut are machined from brass JIS3604 All elbow, tee are forged and machined from brass JIS3771

### **Working Temperature**


From -40°F~160°F

#### **Working Pressure**

150 PSI maximum

### **Assembly Instruction**

- 1. Cut hose clearly and squarely to length
- 2. Slide clamp on hose
- 3. Lubricate hose. Push hose on fitting until hose bottoms against stop ring or hex
- 4. As shown below, position hose clamp and secure with Screwdriver or wrench.



# A/E Hose Barb Fittings 插心系列





雙頭插心 Union



Page A/E 17

### E03

管牙插心接頭 Male Connector



Page A/E 16-17

### **A13**

惠氏牙接頭 Whitworth Connector



Page A/E 15

### E08

內牙插心接頭 **Female** Connector



Page A/E 18

### E10

活動帽 **Swivel Nut** 



Page A/E 19

E10 活動插心





Page A/E 19



活動心&螺帽 Hose-Barb & Nut



Page A/E 19

### E10

活動接頭組 Hose-Barb Connector







Page A/E 19







# **Elbow**

### A01

外牙彎頭 **Male Elbow** 



Page A/E 14

A13

惠氏牙彎頭 Whitworth **Male Elbow** 



Page A/E 15

### A15

內牙彎頭 **Female Elbow** 




Page A/E 15

### E10

活動彎頭組 Hose-Barb Swivel Elbow



Page A/E 19





### E05-T

插心三通 **Union Tee** 



Page A/E 17















#### 外牙插心彎頭 Male Hose-Barb Elbow





產品編號	管牙 T	適用管徑 D	L1	L2	L3	HEX	I.D
PART NO.	PipeThread T	TubeSize D	-	LZ	LS	ПЕХ	שוו
A01-L101	1/8	1/8	18.0	21.5	14	9.5	2
A01-L1015	1/8	3/16	18.0	21.5	14.5	9.5	3
A01-L102	1/8	1/4	18.0	27.0	20	9.5	4
A01-L1025	1/8	5/16	18.0	27.0	20	9.5	5.5
A01-L103	1/8	3/8	18.0	27.0	19	9.5	5.5
A01-L202	1/4	1/4	23.5	30.5	20	11.5	4
A01-L2025	1/4	5/16	23.5	30.5	20	11.5	5.5
A01-L203	1/4	3/8	23,5	31	20	11.5	7
A01-L204	1/4	1/2	23	30.5	20	13	8
A01-L205	1/4	5/8	27	35.5	20	15	8
A01-L302	3/8	1/4	23.5	30	20	11	4
A01-L3025	3/8	5/16	23.5	30	20	11	5.5
A01-L303	3/8	3/8	23,5	30	20	11	7
A01-L304	3/8	1/2	28	35	20	15	9.5
A01-L305	3/8	5/8	28	35.5	20	15	10.5
A01-L402	1/2	1/4	31	33.5	20	15	4
A01-L4025	1/2	5/16	31	33.5	20	15	5.5
A01-L403	1/2	3/8	31	33.5	20	15	7
A01-L404	1/2	1/2	30	33.5	20	15	9.5
A01-L405	1/2	5/8	29.5	35.5	20.4	15	11
A01-L406	1/2	3/4	30.5	39	25.5	17	13
A01-L604	3/4	1/2	34.5	43	26	25.5	8
A01-L605	3/4	5/8	34.5	50	32.5	25.5	11
A01-L606	3/4	3/4	34.5	50	32.5	25.5	14
A01-L608	3/4	1"	34.5	50.5	32.5	25.5	19
A01-L806	1"	3/4	44	50.5	32.5	31.5	14
A01-L808	1"	1"	44	50.5	32.5	31.5	19
A01-L8082	1"	1-1/4"	44	50.5	30.5	31.5	24

#### 惠氏牙插心接頭 Whitworth male Hose-Barb Connector






產品編號	惠式牙 <b>T</b>	適用管徑 D	L1	L2	HEX	I.D
PART NO.	Whitworth T	TubeSize D		LZ		
A13-C3025	W3/8	5/16	34	20	10	5
A13-C303	W3/8	3/8	34	20	12	5
A13-C304	W3/8	1/2	34	20	14	5
A13-C403	W1/2	3/8	37	20	14	7
A13-C404	W1/2	1/2	37	20	14	7

## **A13**

### 惠氏牙插心彎頭 Whitworth male Hose-Barb Elbow






產品編號	惠式牙 T	適用管徑 D	L1	L1		L2	L3	HEX	I.D
PART NO.	Whitworth T	TubeSize D		LZ	LJ	HEX	ט.ו		
A13-L303	W3/8	3/8	18.5	27.5	19	9.5	5		
A13-L304	W3/8	1/2	21	31.5	20	13	5		
A13-L403	W1/2	3/8	23.5	31.5	20	11.5	7		
A13-L404	W1/2	1/2	23	31.5	20	13	8		

# **A15**


### 內牙插心彎頭 Female Hose-Barb Elbow





產品編號	內管牙 T	適用管徑 D					
PART NO.	PipeThread T	TubeSize D	L1	L2	L3	HEX	I.D
A15-LM202	1/4	1/4	26	30	20	11	4
A15-LM2025	1/4	5/16	26	30.5	20	11	5.5
A15-LM203	1/4	3/8	26	30.5	20	11	7
A15-LM303	3/8	3/8	31.5	33.5	20	15	7
A15-LM304	3/8	1/2	31.5	33.5	20	15	9.5

### 管牙插心接頭 Male Hose-Barb Connector






產品編號	管牙 <b>T</b>	適用管徑 D	L1	L2	HEX	I.D
PART NO.	PipeThread T	TubeSize D			IILX	1.0
E03-C101	1/8	1/8	26	12	10	2
E03-C1015	1/8	3/16	26	12	10	3
E03-C102	1/8	1/4	34	20	10	4
E03-C1025	1/8	5/16	34	20	10	5.5
E03-C103	1/8	3/8	34	20	12	5.5
E03-C201	1/4	1/8	29	12	14	2
E03-C2015	1/4	3/16	29	12	14	3
E03-C202	1/4	1/4	37	20	14	4
E03-C2025	1/4	5/16	37	20	14	5.5
E03-C203	1/4	3/8	37	20	14	7
E03-C204	1/4	1/2	37	20	14	8
E03-C205	1/4	5/8	40	23	17	8
E03-C302	3/8	1/4	37	20	17	4
E03-C3025	3/8	5/16	37	20	17	5.5
E03-C303	3/8	3/8	37	20	17	7
E03-C304	3/8	1/2	37	20	17	9.5
E03-C305	3/8	5/8	40	23	17	11
E03-C306	3/8	3/4	44	26	21	10.5
E03-C402	1/2	1/4	40.5	20	21	4
E03-C4025	1/2	5/16	40.5	20	21	5.5
E03-C403	1/2	3/8	40.5	20	21	7
E03-C404	1/2	1/2	40.5	20	21	9.5
E03-C405	1/2	5/8	43.5	23	21	12
E03-C406	1/2	3/4	46.5	26	21	15
E03-C408	1/2	1"	50	28.5	27	14
E03-C603	3/4	3/8	42	20	27	7
E03-C604	3/4	1/2	42	20	27	9.5
E03-C605	3/4	5/8	45	23	27	12
E03-C606	3/4	3/4	48	26	27	15
E03-C608	3/4	1"	50.5	28.5	27	19
E03-C804	1"	1/2	45.5	20	34	9.5
E03-C806	1"	3/4	54	28.5	34	15
E03-C808	1"	1"	54	28.5	34	20

A/E series Hose Barb Fittings 插心系列

產品編號	管牙 <b>T</b>	適用管徑 <b>D</b>	L1	L2	HEX	I.D
PART NO.	PipeThread T	TubeSize D		LZ	l IIEX	1.5
E03-C8082	1"	1"-1/4	54	28.5	34	26
E03-C8084	1"	1"-1/2	55.5	28.5	40	26
E03-C8206	1-1/4"	3/4	58	28.5	42	15
E03-C8208	1-1/4"	1"	58	28.5	42	20
E03-C8282	1-1/4"	1-1/4"	58	28.5	42	27
E03-C8284	1-1/4"	1-1/2"	58	28.5	42	32
E03-C8408	1-1/2"	1"	58	28.5	48	20
E03-C8482	1-1/2"	1-1/4"	58	28.5	48	27
E03-C8484	1-1/2"	1-1/2"	58	28.5	48	32


### 雙頭插心 Union



產品編號	適用管徑 D	L	I.D
PART NO.	TubeSize D	_	J.D
E04-C15	3/16	45	3
E04-C2	1/4	45.5	4
E04-C25	5/16	55	5.5
E04-C3	3/8	55	7
E04-C4	1/2	55	9.5
E04-C5	5/8	60	12
E04-C6	3/4	60	14


**E05** 

#### 插心三通 **Union Hose-Barb Tee**



產品編號	適用管徑 D	L1	L2	I.D
PART NO.	TubeSize D	-	LZ	1.0
E05-T1	1/8	21.5	14	2
E05-T15	3/16	22	14.5	3
E05-T2	1/4	22	14.5	4
E05-T25	5/16	29	20	5.5
E05-T3	3/8	29	20	7
E05-T4	1/2	29	20	9.5
E05-T5	5/8	33.5	23	12
E05-T6	3/4	35	23	15

### ↑型插心三通 Y-Type Union Hose-Barb






產品編號	適用管徑 <b>D</b>	L1	L2	I.D
PART NO.	TubeSize D	LI	LZ	1.0
E05-Y2	1/4	29	20	4
E05-Y25	5/16	29	20	5.5
E05-Y3	3/8	30	20	7
E05-Y4	1/2	31	20	9.5
E05-Y5	5/8	33.5	23	12

# **E08**


### 內牙插心接頭 Female Hose-Barb Connector






產品編號	內管牙 T	適用管徑 D	L1	L2	HEX	I.D
PART NO.	PipeThread T	TubeSize D		LZ	IILX	1.0
E08-CM102	1/8	1/4	32	20	12	4
E08-CM1025	1/8	5/16	32	20	12	5.5
E08-CM103	1/8	3/8	32	20	12	7
E08-CM2015	1/4	3/16	27	12	17	3
E08-CM202	1/4	1/4	35	20	17	4
E08-CM2025	1/4	5/16	35	20	17	5.5
E08-CM203	1/4	3/8	35	20	17	7
E08-CM204	1/4	1/2	35	20	17	9.5
E08-CM302	3/8	1/4	35	20	21	4
E08-CM3025	3/8	5/16	35	20	21	5.5
E08-CM303	3/8	3/8	35	20	21	7
E08-CM304	3/8	1/2	35	20	21	9.5
E08-CM402	1/2	1/4	38	20	24	4
E08-CM4025	1/2	5/16	38	20	24	5.5
E08-CM403	1/2	3/8	38	20	24	7
E08-CM404	1/2	1/2	38	20	24	9.5

### 活動帽 Swivel Nut




產品編號	內直牙 T	L	HEX	I.D
PART NO.	Thread T			
E10-00-2	PS 1/4	12	15	9.2
E10-00-3	PS 1/4	12	15	10.6
E10-00-4	PS 1/2	17	24	15.9
E10-00-6	PS 3/4	18	32	21.5

### 活動插心 Swivel Hose Barb



產品編號	適用管徑 <b>D1</b>	L1	L2	D2	I.D
PART NO.	TubeSize D1	LI	LZ	D2	ט.ו
E10-01-2	1/4	28.5	23	11	4
E10-01-25	5/16	28.5	23	11	5.5
E10-01-3	3/8	28.5	23	11.5	7
E10-01-4	1/2	30.5	22.5	18	9.5
E10-01-6	3/4	37.5	29	23.7	15


### 活動插心與帽 Swivel Nut & Hose Barb





產品編號	內直牙 <b>T</b>	適用管徑 <b>D</b>		HEX	I.D
PART NO.	Thread T	TubeSize D	_	TILX	ט.ו
E10-202	PS 1/4	1/4	20.6	15	4
E10-2025	PS 1/4	5/16	20.6	15	5.5
E10-203	PS 1/4	3/8	20.6	15	7
E10-404	PS 1/2	1/2	20	24	9.5
E10-606	PS 3/4	3/4	26	32	15


### 活動插心接頭組 Swivel Connector





產品編號	管牙 T	適用管徑 D	L1	L2	HEX1	HEX2	I.D
PART NO.	PipeThread T	TubeSize D	L1 L2		,	,	
E10-C202	1/4	1/4	51	20.6	15	14	4
E10-C2025	1/4	5/16	51	20.6	15	14	5.5
E10-C203	1/4	3/8	51.3	20.6	15	14	7

### 活動插心彎頭組 Swivel Elbow






產品編號	管牙 T	適用管徑 D	L1	L2	L3	HEX1	HEX2	I.D
PART NO.	PipeThread T	TubeSize D	-'	LZ	2		TILAZ	
E10-L202	1/4	1/4	23.5	45.5	20.6	15	11	4
E10-L2025	1/4	5/16	23.5	45.5	20.6	15	11	5.5
E10-L203	1/4	3/8	23.5	45.5	20.6	15	11	7


# A/E Pipe Thread Fittings




A/E series Pipe Thread Fittings 管牙系列

### Pipe Thread Fittings 管牙系列







#### 特點

管牙有BSPT(R)及NPT兩種。

### 材質

接頭均採用黃銅JIS3604材質加工而成。 彎頭, 三通均採用黃銅JIS3771材質鍛造並加工而成。

#### 工作溫度

使用於-54°C~121°C。

### 工作壓力

最大70 bar 的壓力使用。

### 組裝步驟

針對接頭

- 1. 先用手將外螺紋鎖入內螺紋,並盡量旋緊。
- 2.使用板手額外地轉緊約2圈。





### 針對彎頭,三通

- 1. 先用手將外螺紋鎖入內螺紋,並盡量旋緊。
- 2.使用板手額外地轉緊約1-1/2~2圈。
- 3.順時鐘旋轉接頭,轉至管子位置,使能與管子配合。





#### Characteristic

Pipe thread includes BSPT(R) and NPT

#### Material

Connectors are machined from brass JIS3604 Elbows, tees are forged and machined from brass JIS3771

### **Working Temperature**

From -65°F~250°F

#### Working Pressure

1000 PSI maximum

### Assembly Instruction

About connectors

- 1. Tighten external thread into the internal thread.
- 2. Tighten an additional 2 revolutions with a wrench





### About elbow, tee

- 1. Finger tighten external thread into the internal thread.
- 2. Tighten an additional 1 1/2 to 2 revolutions with a wrench.
- 3. Tighten fitting, Clockwise, to Align with Tubing(never counter clockwise).







# A/E Pipe Thread Fittings 管牙系列







Page A/E 6

80A 油塞 Plug



Page A/E 6

**A18** 油塞 Pluq



Page A/E 9

E02 雙外牙接頭 **Nipple** 



Page A/E 10

E02 加長雙外接頭 Long Nipple



Page A/E 10



**E06** 

Page A/E 11





E07 雙內牙接頭 Coupling



Page A/E 11

A16 快速接頭 Quick Coupling



Page A/E 8



A02 雙外牙彎頭 **Male Elbow** 



Page A/E 3

A06 內外牙彎頭 **Street Elbow** 



Page A/E 5

A06 內外牙彎頭 Street Elbow



**A12** 

45°內外牙彎頭 45°

Street Elbow



Page A/E8

### A07

雙內牙彎頭 **Union Elbow** 



Page A/E 5

### A16

快速彎頭 Ouick **Coupling Elbow** 



Page A/E8



A04 外牙三通 Male Tee



Page A/E 4

### A03

內外牙三通 Street Tee



Page A/E 3

A03 - S 內外牙三通 Street Tee



Page A/E 3

### A03 - Y Y型內外三通 Y Street Tee



Page A/E 3

### A05

內牙三通 **Union Tee** 



Page A/E 4

### A09

切料內牙三通 **Union Tee** 



Page A/E 6

### A09 - S

內牙三通 **Union Tee** 



Page A/E 6

### A05 - Y

Y型內牙三通 Y Union Tee



Page A/E 4



A10 內牙四通 Cross



Page A/E 7

### A10 - S 內牙四通 Cross



Page A/E 7

**A16** 立式內牙四通 Stand-type



Page A/E 8



**A11** 內牙五通 Five-Ways




Page A/E 7

### A11 - S 內牙五通 Five-Ways




Page A/E 7





#### 外牙彎頭 Male Elbow






產品編號	管牙 <b>T1</b>	管牙 <b>T2</b>	L1	L2	HEX	I.D
PART NO.	PipeThread T1	PipeThread T2	"	L2	ПСХ	טוו
A02-L101	1/8	1/8	18	18	9.5	5.5
A02-L102	1/8	1/4	19.5	23	11	5.5
A02-L202	1/4	1/4	24	24	13	8
A02-L203	1/4	3/8	23	24	13	8
A02-L204	1/4	1/2	25,5	29	15	8
A02-L303	3/8	3/8	24	24	13	9
A02-L304	3/8	1/2	29	31	15	10.5
A02-L404	1/2	1/2	31	31	15	11


# **A03**

### 內外牙三通 Street Tee





產品編號	管牙 <b>T1</b>	內管牙 <b>T2</b>	- L1	L1 L2	L3	HEX	I.D
PART NO.	PipeThread T1	PipeThread T2			LJ	HEX	I.U
A03-1	1/8	1/8	30.5	20.5	13.3	14	5.5
A03-2	1/4	1/4	36	23	14	18	8
A03-3	3/8	3/8	43.5	30	19.5	21	10.5






產品編號	管牙 <b>T1</b>	內管牙 <b>T2</b>	L1		L2 L3 HEX	HEX	I.D
PART NO.	PipeThread T1	PipeThread T2		LZ	2		
A03-S1	1/8	1/8	30.5	20.2	13.5	13.5	5.5
A03-S2	1/4	1/4	36	23.2	14.5	17.5	8
A03-S3	3/8	3/8	41	28	17.5	21	10.5
A03-S4	1/2	1/2	50	34.2	21.5	25.4	13

# A03-Y\_


### 內外牙Y型三通 Y type Street Tee





產品編號	管牙 <b>T1</b>	內管牙 <b>T2</b>	L1	L2	HEX
PART NO.	PipeThread T1	PipeThread T2	LI	LZ	ПЕХ
A03-Y1	1/8	1/8	16.1	13.9	13
A03-Y2	1/4	1/4	20	17.2	17
A03-Y3	3/8	3/8	22	18.3	20
A03-Y4	1/2	1/2	25.7	25.6	25

#### 外牙三通 Male Tee






產品編號	管牙 T		HEX	I.D
PART NO.	PipeThread T	_	HEX	1.0
A04-T1	1/8	18	9.5	5.5
A04-T2	1/4	21.5	11	7
A04-T3	3/8	25	12	8
A04-T4	1/2	30	15	11

A05

### 內牙三通 Union Tee






產品編號	內管牙 T		HEX	I.D
PART NO.	PipeThread T	_	IILX	1.0
A05-T1	1/8	13.5	14.5	8.2
A05-T2	1/4	17	17	11.2
A05-T3	3/8	18.5	20	14.8
A05-T4	1/2	24.5	25	18.5

### A05-Y


### 內牙 Y 型三通 Y type Union Tee






產品編號	內管牙 <b>T</b>	L1	L2	HEX	
PART NO.	PipeThread T	Т	LZ	HEX	
A05-Y1	1/8	11.3	13.9	13	
A05-Y2	1/4	14	17.2	17	
A05-Y3	3/8	17	18.3	20	
A05-Y4	1/2	17.7	25.6	25	

**Street Elbow** 





產品編號	內管牙 T1	管牙 <b>T2</b>	L1	L2	HEX	I.D
PART NO.	PipeThread T1	PipeThread T2	LI	LZ	ПЕХ	
A06-L101	1/8	1/8	15.5	19.5	14	5.5
A06-L102	1/8	1/4	13.5	23.5	17.5	8
A06-L201	1/4	1/8	14.5	21	17.5	5.5
A06-L202	1/4	1/4	14.5	24	17	8
A06-S203	1/4	3/8	15.5	27.5	21	10.5
A06-S301	3/8	1/8	15.5	24	21	5.5
A06-S302	3/8	1/4	15.5	27	21	8
A06-S303	3/8	3/8	15.5	27.5	21	10.5
A06-S304	3/8	1/2	18.5	33	24	13
A06-S403	1/2	3/8	18.5	28.5	24	10.5
A06-S404	1/2	1/2	18.5	33	24	13






產品編號	內管牙 <b>T1</b>	管牙 <b>T2</b>	L1	L2	HEX	I.D
PART NO.	PipeThread T1	PipeThread T2		LZ	IILX	ال.ا
A06-L1	1/8	1/8	22.5	20	11	5.5
A06-L2	1/4	1/4	27	24	13	8
A06-2-3	1/4	3/8	28	26	13	9

## **A07**

內牙彎頭 **Union Elbow** 






產品編號	內管牙 <b>T</b>		HEX	I.D
PART NO.	PipeThread T	_	IILX	1.0
A07-L101	1/8	14	14.5	8.2
A07-L202	1/4	17	17	11.2
A07-L303	3/8	18	20.5	14.8
A07-L404	1/2	23.5	24	18.5


# A/E series Pipe Thread Fittings 管牙系列

### **80A**





產品編號	管牙 T	L1	L2	HEX
PART NO.	PipeThread T		LZ	HEX
A08-1-1	1/8	14	9	10
A08-2-1	1/4	17	12	14
A08-3-1	3/8	17	12	17
A08-4-1	1/2	21	15	21
A08-6-1	3/4	22	15	27
A08-8-1	1"	25.5	17.5	34






產品編號	管牙 T	L1	L2	HEX	I.D
PART NO.	PipeThread T	LI	LZ	HEX	ט.ו
A08-1	1/8	14	9	10	5.5
A08-2	1/4	17	12	14	8
A08-3	3/8	17	12	17	10.5
A08-4	1/2	21	15	21	13
A08-6	3/4	22	15	27	19.5
A08-8	1"	25.5	17.5	34	26


# **A09**

#### 內牙三通 **Union Tee**





產品編號	內管牙 T	L1	L2	L3	HEX	I.D
PART NO.	PipeThread T	Li	LZ	23	1127	ט,ו
A09-T1	1/8	26	13	20	14	8.2
A09-T2	1/4	30	15	24	18	11.2
A09-T3	3/8	40	20	29.5	21	14.8






產品編號	內管牙 T	L1	L2	L3	HEX	I.D
PART NO.	PipeThread T					
A09-S1	1/8	27	13.5	20	13	8.2
A09-S2	1/4	29.5	14.8	23	17	11.2
A09-S3	3/8	35	17,5	28	21	14.8
A09-S4	1/2	43	21.5	34	25.4	18.5

#### 內牙四通 Cross





產品編號	內管牙 T	L1	L2	HEX	I.D	
PART NO.	PipeThread T	LI	LZ	HEX	1.0	
A10-1	1/8	26.5	13.3	14	8.2	
A10-2	1/4	30	15	18	11.2	
A10-3	3/8	40	20	21	14.8	






產品編號	內管牙 T	L1	L2	HEX	I.D
PART NO.	PipeThread T	Li	LZ	ПЕХ	ט.ו
A10-S1	1/8	26	13	13	8.2
A10-S2	1/4	30	15	17	11.2
A10-S3	3/8	36	18	21	14.8
A10-S4	1/2	43	21.5	25.4	18.5


# **A11**

#### 內牙五通 **Union Five-ways**





產品編號	內管牙 T	1.4	1.2	HEX	I.D
PART NO.	PipeThread T		LZ	ПЕХ	J.,U
A11-2	1/4	30	15	24	11.2






產品編號	內管牙 <b>T</b>	1.1	1.2	HEX	I.D
PART NO.	PipeThread T		LZ	ПЕХ	"
A11-S2	1/4	30	15	23.5	11.2

# A/E series Pipe Thread Fittings 管牙系列

### **A12**

### 45°內外彎頭 45° Street Elbow






產品編號	管牙 <b>T1</b>	內管牙 <b>T2</b>	L1	L2	HEX	I.D
PART NO.	PipeThread T1	PipeThread T2		LZ	ПЕХ	1.0
A12-1	1/8	1/8	16	18.5	11	5.5
A12-2	1/4	1/4	21.5	20	18.5	8

### **A16**

#### 立型四通 Stand-type Cross






產品編號	內管牙 T	1.4	1.2	L3	L4	HEX
PART NO.	PipeThread T	LI	LZ	L3	L4	HEX
A16-2	1/4	30	15	24	9	24

## **A16**

### 快速接頭 Quick Coupling Connector






產品編號	管牙 T	1.4	1.2	6	HEX	I.D
PART NO.	PipeThread T		LZ	ט	ПЕХ	U.D
A16-C2	1/4	37	20	13.1	14	7.5

### **A16**


### 快速彎頭 Quick Coupling Elbow





	產品編號	管牙 T	1.1	1.2	L3	_	HEX	I.D
	PART NO.	PipeThread T	LI	LZ	LS	Ь	ПЕХ	
Ī	A16-L2	1/4	23	30.5	20	13.1	13	7.5

#### 內六角油塞 Hollow Hex head Plug






產品編號	管牙 T		HEX
PART NO.	PipeThread T	-	TILX
A18-1	1/8	8	5
A18-2	1/4	11.5	6
A18-3	3/8	11.5	8
A18-4	1/2	15.5	10

# **E01**

#### 內外牙接頭 Adapter




產品編號	內管牙 <b>T1</b>	管牙 <b>T2</b>	L	HEX	I.D
PART NO.	PipeThread T1	PipeThread T2		HEX	טוו
E01-C101	1/8	1/8	21	12	5.5
E01-C102	1/8	1/4	24	14	8.5
E01-C103	1/8	3/8	22	17	8.5
E01-C201	1/4	1/8	24	17	5.5
E01-C202	1/4	1/4	27	17	8
E01-C203	1/4	3/8	27	17	11.5
E01-C204	1/4	1/2	29.5	21	11.5
E01-C301	3/8	1/8	24	21	5.5
E01-C302	3/8	1/4	27	21	8
E01-C303	3/8	3/8	27	21	10.5
E01-C304	3/8	1/2	29.5	21	15
E01-C402	1/2	1/4	30	24	8
E01-C403	1/2	3/8	30	24	10.5
E01-C404	1/2	1/2	32.5	24	14

# A/E series Pipe Thread Fittings 管牙系列

# **E02**


#### 雙外牙接頭 **Nipple**



產品編號	管牙 <b>T1</b>	管牙 <b>T2</b>	_		
PART NO.	PipeThread T1	PipeThread T2	L	HEX	I.D
E02-C101	1/8	1/8	23	10	6
E02-C201	1/4	1/8	26	14	5.5
E02-C202	1/4	1/4	29	14	8
E02-C301	3/8	1/8	26	17	5.5
E02-C302	3/8	1/4	29	17	8
E02-C303	3/8	3/8	29	17	10.5
E02-C401	1/2	1/8	29.5	21	5.5
E02-C402	1/2	1/4	32.5	21	8
E02-C403	1/2	3/8	32.5	21	10.5
E02-C404	1/2	1/2	35	21	14
E02-C602	3/4	1/4	34	27	8
E02-C603	3/4	3/8	34	27	10.5
E02-C604	3/4	1/2	36.5	27	14
E02-C606	3/4	3/4	37	27	19
E02-C804	1"	1/2	40	34	14
E02-C806	1"	3/4	40.5	34	19
E02-C808	1"	1"	43	34	24
E02-C8282	1-1/4"	1-1/4"	46	42	32


## **E02**

### 加長型雙外牙接頭 Long Nipple



產品編號	管牙 <b>T1</b>	管牙 <b>T2</b>		HEX	I.D
PART NO.	PipeThread T1	PipeThread T2	_	ПЕХ	ט.ו
E02-2-2-40	1/4	1/4	40	14	8
E02-2-2-43	1/4	1/4	43	14	8

### **Bushing**






	i			
產品編號	管牙 <b>T1</b>	內管牙 <b>T2</b>	L	HEX
PART NO.	PipeThread T1	PipeThread T2	_	TIEX
E06-C201	1/4	1/8	17	14
E06-C301	3/8	1/8	17	17
E06-C302	3/8	1/4	17	17
E06-C401	1/2	1/8	21	21
E06-C402	1/2	1/4	21	21
E06-C403	1/2	3/8	21	21
E06-C602	3/4	1/4	22	27
E06-C603	3/4	3/8	22	27
E06-C604	3/4	1/2	22	27
E06-C802	1"	1/4	26	34
E06-C803	1"	3/8	26	34
E06-C804	1"	1/2	26	34
E06-C806	1"	3/4	26	34

# **E07**

### 雙內牙接頭 Coupling




產品編號	內管牙 <b>T1</b>	內管牙 <b>T2</b>		,
PART NO.	PipeThread T1	PipeThread T2	L	HEX
E07-C101	1/8	1/8	20	12
E07-C201	1/4	1/8	23	17
E07-C202	1/4	1/4	25	17
E07-C301	3/8	1/8	23	21
E07-C302	3/8	1/4	25	21
E07-C303	3/8	3/8	25	21
E07-C401	1/2	1/8	26	24
E07-C402	1/2	1/4	28	24
E07-C403	1/2	3/8	28	24
E07-C404	1/2	1/2	31	24
E07-C603	3/4	3/8	31	30
E07-C604	3/4	1/2	32	30
E07-C606	3/4	3/4	33	30


# H 45° Flared Fittings



### **H series** 45° flored fittings 45° 喇叭口系列

### H 45° Flared Fittings 45°喇叭口系列





### 特點

應用於液態流體或瓦斯之傳遞。

使用紅銅、黃銅、鋁及焊接油壓鋼管等可以進行擴孔 的管類。

這類接頭可抵抗機械性外拉力,而且可以重複拆裝。

#### 材質

接頭、螺帽均採用黃銅JIS3604材質加工而成。 彎頭、三通均採用黃銅JIS3771材質鍛造並加工而成。

### 工作溫度

使用於-53°C~ 121°C。

#### 工作壓力

在室溫20 C的情況下使用紅銅管

40Bar

O.D. 1/8" 175Bar

O.D. 1/4" 100Bar

O.D. 3/8" 70Bar

O.D. 1/2" 50Bar

O.D. 3/4" 35Bar

O.D. 7/8" 30Bar

### 組裝步驟

O.D. 5/8"

- 1. 正交的剪切管到所需長度,並清除去管子毛邊。
- 2. 先將螺帽穿過管,螺帽的螺紋端要朝外側。
- 3. 使用擴孔工具將管子端面擴孔成45 喇叭狀。
- 4. 先用手旋緊螺帽與主體,將喇叭狀之管端夾壓於其 中,然後再用板手順時鐘旋緊1/4圈,即達金屬對金 屬之緊密配合,組裝完成。

#### Characteristic

Use for hard-to-hold liquids and gases.

Use with copper, brass, aluminum and welded steel hydraulic tubing that can be flared. Can resists mechanical pullout. Can be assembled and disassembled repeatedly.

#### Material

All connector, nut are machined from brass JIS3604 All elbow, tee are forged and machined from brass JIS3771

#### **Working Temperature**

From -65°F~250°F

### Working Pressure

With copper tubing under 68° F temperature

O.D. 1/8" 2500PSI O.D. 1/4" 1500PSI

O.D. 3/8" 1000PSI

O.D. 1/2" 750PSI

O.D. 5/8" 600PSI

O.D. 3/4" 500PSI

O.D. 7/8" 400PSI

#### Assembly Instruction

- 1. Cut tubing squarely and clean tube end to remove burrs.
- 2. Slide nut onto tubing, place threaded end of nut face out.
- 3. Flare tube end with flaring tool to provide 45° flare.
- 4. Clamp tube flare between nut and nose of fitting body by screwing nut on finger-tight.

Tighten with a wrench an additional 1/4 turn for a metal-to-metal seal.

# 45° Flared Fittings 45° 喇叭口系列



### H00 螺帽蓋 **Cap Nut**



Page H 3

### H01-L 長螺帽 **Long Nut**



Page H 4

### H01 螺帽 Nut



Page H 3

### H01-0 平口螺帽 **Short Nut**



Page H 3

H01 減壓螺帽 **Ruduce Nut** 



Page H 4

H13 喇叭油塞 Flared Plug



Page H 11





Page H 8

### H12 由任內接頭 **Flared Union**



Page H 11

### H<sub>0</sub>2

外牙接頭 Male Connector



Page H 5

### H09

內牙接頭 **Female** Connector



Page H 10

### H10

外牙內喇叭接頭 Male to **Female Flared** 



Page H 10

**H11** 內外喇叭接頭

Reducing Connector



Page H 11





Page H 9

H03 外牙彎頭 **Male Elbow** 



Page H 6

### H14

45°外牙彎頭 45° Male Elbow




Page H 12

### H15

內牙彎頭 **Female Elbow** 



Page H 12





**Elbow** 





Page H 9

H04 牙中三通 **Branch Tee** 



Page H 7


H05 牙邊三通 Run Tee



Page H 8








### **H00**

#### 螺帽蓋 **Cap Nut**






產品編號	直牙T	L	HEX	
PART NO.	Thread T	-	HEX	
H00-15	3/8-24	12.5	11	
H00-2	7/16-20	14	14	
H00-25	1/2-20	14.5	16	
H00-3	9/16-18	15.5	19	
H00-3-1	5/8-18	17	19	
H00-4	3/4-16	20.5	24	
H00-5	7/8-14	22	27	
H01-6	1"1/16-14	23.5	32	

### **H01**

#### 螺帽 Nut






產品編號	適用管徑 D	直牙 T	L	HEX	I.D
PART NO.	TubeSize D	Thread T	_	ПЕХ	
H01-15	3/16	3/8-24	13.5	11	4.95
H01-2	1/4	7/16-20	14.5	14	6.6
H01-25	5/16	1/2-20	14.5	16	8.2
H01-3	3/8	9/16-18	16	19	9.8
H01-3-1	3/8	5/8-18	17.7	19	9.8
H01-4	1/2	3/4-16	21	24	13
H01-5	5/8	7/8-14	22	27	16.2
H01-6	3/4	1"1/16-14	25	32	19.3

# **H01-0**

#### 平口螺帽 **Short Nut**






產品編號	適用管徑 D	直牙T		HEX	I.D
PART NO.	TubeSize D	Thread T	_		
H01-15-0	3/16	3/8-24	11.5	11	4.95
H01-2-0	1/4	7/16-20	11.5	14	6.7
H01-3-0	3/8	9/16-18	12.7	17	9.8
H01-4-0	1/2	3/4-16	20	23	13.2

# Series 45° Flared Fittings 45°喇叭口系列

### H01-L


#### 長螺帽 Long Nut





產品編號	適用管徑 D	直牙	L	HEX	I.D
PART NO.	TubeSize D	Thread T	_	IILX	<u>.</u>
H01-15L	3/16	3/8-24	20.5	11	4.95
H01-2L	1/4	7/16-20	23.5	14	6.6
H01-25L	5/16	1/2-20	23.5	16	8.2
H01-3-1L	3/8	5/8-18	26.5	19	9.8
H01-4L	1/2	3/4-16	30	24	13
H01-5L	5/8	7/8-14	34.5	27	16.2
H01-6L	3/4	1"1/16-14	39	32	19.3

#### **Reducing Nut** 減壓螺帽






產品編號	適用管徑 D	直牙 <b>T</b>		HEX	I,D
PART NO.	TubeSize D	Thread T	_		l.U
H01-302-1	3/8 to 1/4	5/8-18	17.7	19	6.6
H01-403	1/2 to 3/8	3/4-16	21	24	9.8
H01-504	5/8 to 1/2	7/8-14	22	27	13
H01-605	3/4 to 5/8	1"1/16-14	25	32	16.2

# Series 45° Flared Fittings 45°喇叭口系列

# **H02**

#### 外牙接頭 Male Connector






產品編號	管牙 <b>T1</b>	適用管徑 D	直牙 <b>T2</b>	L	HEX	I.D
PART NO.	PipeThread T1	TubeSize D	Thread T2	L	ПЕХ	I,U
H02-C102	1/8	1/4	7/16-20	26	12	4.8
H02-C1025	1/8	5/16	1/2-20	27	13	5.5
H02-C103-1	1/8	3/8	5/8-18	29	17	5.5
H02-C202	1/4	1/4	7/16-20	29	14	4.8
H02-C2025	1/4	5/16	1/2-20	30	14	5.5
H02-C203	1/4	3/8	9/16-18	31	15	7.2
H02-C203-1	1/4	3/8	5/8-18	32	17	7.2
H02-C204	1/4	1/2	3/4-16	36	21	8.0
H02-C205	1/4	5/8	7/8-14	37	23	8.0
H02-C302	3/8	1/4	7/16-20	29	17	4.8
H02-C3025	3/8	5/16	1/2-20	30	17	5.5
H02-C303	3/8	3/8	9/16-18	31	17	7.2
H02-C303-1	3/8	3/8	5/8-18	32	17	7.2
H02-C304	3/8	1/2	3/4-16	36	21	10.3
H02-C305	3/8	5/8	7/8-14	37	23	10.5
H02-C402	1/2	1/4	7/16-20	33	21	4.8
H02-C4025	1/2	5/16	1/2-20	34	21	5.5
H02-C403	1/2	3/8	9/16-18	35	21	7.2
H02-C403-1	1/2	3/8	5/8-18	35.5	21	7.2
H02-C404	1/2	1/2	3/4-16	38.5	21	10.3
H02-C405	1/2	5/8	7/8-14	39.5	23	12.7
H02-C603-1	3/4	3/8	5/8-18	38	27	7.2
H02-C604	3/4	1/2	3/4-16	40	27	10.3
H02-C605	3/4	5/8	7/8-14	41	27	12.7
H02-C606	3/4	3/4	1"1/16-14	43	27	15.9

# H Series 45° Flared Fittings 45°喇叭口系列

## **H03**

#### 外牙彎頭 **Male Elbow**






產品編號	管牙 <b>T1</b>	適用管徑 D	直牙 <b>T2</b>	L1	L2	HEX	I.D
PART NO.	PipeThread T1	TubeSize D	Thread T2			TILX	1.5
H03-L1015	1/8	3/16	3/8-24	18	21	9.5	3.2
H03-L102	1/8	1/4	7/16-20	18	21.5	9.5	4.8
H03-L1025	1/8	5/16	1/2-20	20	23.5	11	5.5
H03-L103	1/8	3/8	9/16-18	20.5	25.5	13	5.5
H03-L103-1	1/8	3/8	5/8-18	20.5	26.5	13	5.5
H03-L104	1/8	1/2	3/4-16	23	30	13	5.5
H03-L202	1/4	1/4	7/16-20	23.5	23	11	4.8
H03-L2025	1/4	5/16	1/2-20	24	24.5	13	5.5
H03-L203	1/4	3/8	9/16-18	25.5	24	13	7.2
H03-L203-1	1/4	3/8	5/8-18	24	26.5	13	7.2
H03-L204	1/4	1/2	3/4-16	25.5	30	13	8.0
H03-L205	1/4	5/8	7/8-14	27	32	17	8.0
H03-L302	3/8	1/4	7/16-20	24	23	11	4.8
H03-L3025	3/8	5/16	1/2-20	25	24.5	13	5.5
H03-L303	3/8	3/8	9/16-18	25	25.5	13	7.2
H03-L303-1	3/8	3/8	5/8-18	26	27	13	7.2
H03-L304	3/8	1/2	3/4-16	25.5	30	13	9.0
H03-L305	3/8	5/8	7/8-14	27	32	17	10.5
H03-L402	1/2	1/4	7/16-20	31.5	28.5	15	4.8
H03-L4025	1/2	5/16	1/2-20	31.5	29	15	5.5
H03-L403	1/2	3/8	9/16-18	31	30	15	7.2
H03-L403-1	1/2	3/8	5/8-18	31.5	31	15	7.2
H03-L404	1/2	1/2	3/4-16	31.5	32	15	10.3
H03-L405	1/2	5/8	7/8-14	32	32	17	12.7
H03-L604	3/4	1/2	3/4-16	34	35	21	10.3
H03-L605	3/4	5/8	7/8-14	34	35	21	12.7
H03-L606	3/4	3/4	1"1/16-14	34	36	21	15.9

# **H04**

#### 牙中三通 **Male Branch Tee**






產品編號	管牙 <b>T1</b>	適用管徑 D	直牙 <b>T2</b>	L1	L2	HEX	I.D
PART NO.	PipeThread T1	TubeSize D	Thread T2	LI	L2	ПЕХ	שוּוּ
H04-T102	1/8	1/4	7/16-20	18.5	22.5	9.5	4.8
H04-T202	1/4	1/4	7/16-20	24,5	22	10	4.8
H04-T2025	1/4	5/16	1/2-20	22	24	11	5.5
H04-T203	1/4	3/8	9/16-18	23.5	26	12	7.2
H04-T203-1	1/4	3/8	5/8-18	22.5	26.5	12	7.2
H04-T204	1/4	1/2	3/4-16	25	30.5	15	8
H04-T302	3/8	1/4	7/16-20	25	24	12	4.8
H04-T3025	3/8	5/16	1/2-20	25	25	12	5.5
H04-T303	3/8	3/8	9/16-18	25	26	12	7.2
H04-T303-1	3/8	3/8	5/8-18	25	26.5	12	7.2
H04-T304	3/8	1/2	3/4-16	25.5	30.5	15	10.3
H04-T402	1/2	1/4	7/16-20	29.5	26.5	15	4.8
H04-T4025	1/2	5/16	1/2-20	29.5	27	15	5.5
H04-T403	1/2	3/8	9/16-18	29.5	27.5	15	7.2
H04-T403-1	1/2	3/8	5/8-18	29.5	28.5	15	7.2
H04-T404	1/2	1/2	3/4-16	29.5	30.5	15	10.3
H04-T405	1/2	5/8	7/8-14	30	32.5	17	12.7

# Series 45° Flared Fittings 45°喇叭口系列

# **H05**

#### 牙邊三通 Male Run Tee






產品編號	管牙 <b>T1</b>	適用管徑 D	直牙 <b>T2</b>	L1	L2	HEX	I.D
PART NO.	PipeThread T1	TubeSize D	Thread T2	LI	LZ	ПЕХ	1.0
H05-T102	1/8	1/4	7/16-20	21.5	21	9.5	4.8
H05-T202	1/4	1/4	7/16-20	23.5	23.5	11	4.8
H05-T2025	1/4	5/16	1/2-20	23.5	24	11	5.5
H05-T203	1/4	3/8	9/16-18	24	26	12	7.2
H05-T203-1	1/4	3/8	5/8-18	24	26.5	12	7.2
H05-T204	1/4	1/2	3/4-16	25	30	15	8.0
H05-T302	3/8	1/4	7/16-20	25	24	12	4.8
H05-T3025	3/8	5/16	1/2-20	25	25	12	5.5
H05-T303	3/8	3/8	9/16-18	25	26	12	7.2
H05-T303-1	3/8	3/8	5/8-18	25	26.5	12	7.2
H05-T304	3/8	1/2	3/4-16	25	30	15	10.3
H05-T402	1/2	1/4	7/16-20	29.5	26.5	15	4.8
H05-T4025	1/2	5/16	1/2-20	29.5	27	15	5.5
H05-T403	1/2	3/8	9/16-18	29.5	27.5	15	7.2
H05-T403-1	1/2	3/8	5/8-18	29	28.5	15	7.2
H05-T404	1/2	1/2	3/4-16	30	30	15	10.3
H05-T405	1/2	5/8	7/8-14	33	31	17	12.7

## **H06**

### 由任接頭 Union






產品編號	適用管徑 D	直牙T	L	HEX	I.D
PART NO.	TubeSize D	Thread T	_	ПЕХ	ט.ו
H06-C15	3/16	3/8-24	28	10	3.2
H06-C2	1/4	7/16-20	29	12	4.8
H06-C25	5/16	1/2-20	31	14	5.5
H06-C3	3/8	9/16-18	33	15	7.2
H06-C3-1	3/8	5/8-18	35	17	7.2
H06-C4	1/2	3/4-16	42	21	10.3
H06-C5	5/8	7/8-14	44	23	12.7
H06-C6	3/4	1"1/16-14	49	27	15.9

# **H07**

#### 由任彎頭 **Union Elbow**






產品編號	適用管徑 D	直牙 <b>T</b>	L	HEX	I.D
PART NO.	TubeSize D	Thread T	_	ПЕХ	I.D
H07-L15	3/16	3/8-24	18.5	9.5	3.2
H07-L2	1/4	7/16-20	23	10.5	4.8
H07-L25	5/16	1/2-20	24.5	13	5.5
H07-L3	3/8	9/16-18	25.5	13	7.2
H07-L3-1	3/8	5/8-18	28	13	7.2
H07-L4	1/2	3/4-16	32	15	10.3
H07-L5	5/8	7/8-14	32	17	12.7
H07-L6	3/4	1"1/16-14	36	21	15.9

# **H08**

#### 由任三通 **Union Tee**






產品編號	適用管徑 D	直牙T		HEV	15
PART NO.	TubeSize D	Thread T	L	HEX	I.D
H08-T1	1/8	5/16-24	20.5	9.5	2.5
H08-T15	3/16	3/8-24	21.5	9.5	3.2
H08-T2	1/4	7/16-20	22.5	9.5	4.8
H08-T25	5/16	1/2-20	24	11	5.5
H08-T3	3/8	9/16-18	26	12	7.2
H08-T3-1	3/8	5/8-18	27	12	7.2
H08-T4	1/2	3/4-16	30.5	15	10.3
H08-T5	5/8	7/8-14	32.5	17	12.7

# Series 45° Flared Fittings 45°喇叭口系列

## **H09**

#### 內牙接頭 **Female Connector**






產品編號	內管牙 T1	適用管徑 D	直牙 <b>T2</b>	L	HEX	I.D
PART NO.	PipeThread T1	TubeSize D	Thread T2	_	IILX	טוו
H09-CM1015	1/8	3/16	3/8-24	23.5	12	3.2
H09-CM102	1/8	1/4	7/16-20	24	12	4.8
H09-CM1025	1/8	5/16	1/2-20	25	14	5.5
H09-CM103	1/8	3/8	9/16-18	26	15	7.2
H09-CM103-1	1/8	3/8	5/8-18	27	17	7.2
H09-CM202	1/4	1/4	7/16-20	27	17	4.8
H09-CM2025	1/4	5/16	1/2-20	28	17	5.5
H09-CM203	1/4	3/8	9/16-18	29	17	7.2
H09-CM203-1	1/4	3/8	5/8-18	30	17	7.2
H09-CM204	1/4	1/2	3/4-16	33	21	10.3
H09-CM302	3/8	1/4	7/16-20	27	21	4.8
H09-CM3025	3/8	5/16	1/2-20	28	21	5.5
H09-CM303	3/8	3/8	9/16-18	29	21	7.2
H09-CM303-1	3/8	3/8	5/8-18	30	21	7.2
H09-CM304	3/8	1/2	3/4-16	33	21	10.3
H09-CM403	1/2	3/8	9/16-18	32	24	7.2
H09-CM403-1	1/2	3/8	5/8-18	33	24	7.2
H09-CM404	1/2	1/2	3/4-16	36	24	10.3
H09-CM405	1/2	5/8	7/8-14	37	24	12.7
H09-CM406	1/2	3/4	1"1/16-14	39	27	15.9

### **H10**

#### 外牙內喇叭接頭 Male Pipe Thread to Female Flared Connector






產品編號	管牙 <b>T</b> 1	直牙 <b>T2</b>	L	HEX	I.D
PART NO.	PipeThread T1	Thread T2		ПЕХ	טוּו
H10-C102	1/8	7/16-20	21	14	6
H10-C202	1/4	7/16-20	24	14	6
H10-C2025	1/4	1/2-20	24	17	8
H10-C203-1	1/4	5/8-18	28	19	8
H10-C302	3/8	7/16-20	24	17	6
H10-C3025	3/8	1/2-20	24	17	8
H10-C303-1	3/8	5/8-18	28	19	8
H10-C304	3/8	3/4-16	30	24	10.5

### **H11**

#### 內外喇叭接頭 Reducing Connector(Male flared to Female flared)






產品編號	適用管徑 D	直牙 <b>T1</b>	直牙 <b>T2</b>		HEX	I.D	
PART NO.	TubeSize D	Thread T1	Thread T2	-			
H11-C302-1	3/8 to 1/4	5/8-18	7/16-20	28.5	19	4.8	
H11-C402	1/2 to 1/4	3/4-16	7/16-20	33.5	24	4.8	
H11-C403-1	1/2 to 3/8	3/4-16	5/8-18	34.5	24	7.2	
H11-C504	5/8 to 1/2	7/8-14	3/4-16	39	27	10.3	

### **H12**

### 由任內喇叭接頭 Female Flared Union






產品編號	直牙T	L	HEX	I.D
PART NO.	Thread T	_	112%	5
H12-C2	7/16-20	24.5	14	6.6
H12-C25	1/2-20	25.5	16	8.2
H12-C3	9/16-18	27	19	9.8
H12-C3-1	5/8-18	30.5	19	9.8
H12-C4	3/4-16	36.5	24	13

# **H13**

#### 油塞 Flared Plug






產品編號	適用管徑 D	直牙 <b>T</b>		HEX
PART NO.	TubeSize D	Thread T	_	IILX
H13-C15	3/16	3/8-24	16	10
H13-C2	1/4	7/16-20	17	12
H13-C25	5/16	1/2-20	18	14
H13-C3	3/8	9/16-18	19	15
H13-C3-1	3/8	5/8-18	20	17
H13-C4	1/2	3/4-16	24	21
H13-C5	5/8	7/8-14	25	23

# Series 45° Flared Fittings 45°喇叭口系列

## **H14**

### 45°外牙彎頭 45° Male Elbow




產品編號	管牙 <b>T1</b>	適用管徑 D	直牙 <b>T2</b>	L1	L2	HEX	I.D
PART NO.	PipeThread T1	TubeSize D	Thread T2		LZ		
H14-L102	1/8	1/4	7/16-20	16	18.5	11	4.8
H14-L202	1/4	1/4	7/16-20	20.5	18	14	4.8
H14-L2025	1/4	5/16	1/2-20	20.5	18.5	14	5.5
H14-L203	1/4	3/8	9/16-18	20.5	20	14	7.2
H14-L203-1	1/4	3/8	5/8-18	20.5	20	14	7.2



### **H15**

### 內牙彎頭 Female Elbow






產品編號	內管牙 <b>T1</b>	適用管徑 D	直牙 <b>T2</b>	L1	L2	HEX	I.D
PART NO.	PipeThread T1	TubeSize D	Thread T2				1.0
H15-LM103	1/8	3/8	9/16-18	15	28	21	7.2
H15-LM202	1/4	1/4	7/16-20	14.5	23.5	17	4.8
H15-LM2025	1/4	5/16	1/2-20	14.5	24.5	17	5.5
H15-LM3025	3/8	5/16	1/2-20	15	27.5	21	5.5
H15-LM303	3/8	3/8	9/16-18	15	28	21	7.2
H15-LM303-1	3/8	3/8	5/8-18	15	28.5	21	7.2
H15-LM403	1/2	3/8	9/16-18	18	30.5	24	7.2
H15-LM403-1	1/2	3/8	5/8-18	18	31.5	24	7.2
H15-LM404	1/2	1/2	3/4-16	18	33.5	24	10.3


# N Fast-In Fittings



**N series** Fast-In Fittings 尼龍管飛速系列

### N Fast-In Fittings 尼龍管飛速系列





#### 特點

應用於低壓之氣體、水或油之傳遞。 大多數使用於尼龍管、PE或PU管等熱塑軟管。 主體與螺帽皆可重複拆裝使用。

### 材質

接頭、螺帽均採用黃銅JIS3604材質加工而成。 彎頭、三通均採用黃銅JIS3771材質鍛造並加工而成。

### 工作溫度

空氣、油 -40°C~80°C 水 0°C~70°C

#### 工作壓力

根據軟管可使用的壓力而定。

#### 組裝步驟

- 1. 正交的剪切管到所需長度。
- 2. 先將螺帽穿過管,螺帽的螺紋端要朝外側。
- 3. 插入軟管至接頭內底端。
- 4. 先用手旋緊螺帽與主體, 然後再用板手順時鐘旋緊 1/2~1圈, 即組裝完成。

#### Characteristic

Use for air, water, oil in low pressure. Use with thermoplastic tubing, like nylon tubing, PE or PU tubing. Bodies and nuts can be assembled and disassembled repeatedly.

Connectors, nuts are machined from brass JIS3604 Elbows, tees are forged and machined from brass JIS3771

### Working Temperature

From -40°F~176°F for air, oil From 32°F~158°F for water

#### Working Pressure

Depending on the max.operation pressure of the tubing used.

#### Assembly Instruction

- 1. Cut tubing squarely.
- 2. Slide nut onto tubing, the thread end of nut must face out.
- 3. Insert tubing into fitting until it bottoms on seat.
- 4. The nut should be screwed down finger tight, then the wrench-tightened ½~1 turns.

## Fast-In Fittings 尼龍管飛速系列



#### **N00** 英制螺帽 Inch Nut



Page N 3

**N00** 公制螺帽 **Metric Nut** 



Page N 3

#### N01

由任接頭 Union



Page N 3

#### **N10**

夾壁式由任接頭 Bulkhead



Page N 11

#### N03

外牙接頭 Male Connector



Page N 5

**N04** 內牙接頭 **Female** Connector



Page N 6



#### N09 由任彎頭 **Union Elbow**



Page N 11

#### **N06**

外牙彎頭 **Male Elbow** 



Page N 8

#### **N**05

內牙彎頭 **Female Elbow** 



Page N 7





# Tee

#### N<sub>0</sub>2

由任三通 **Union Tee** 



Page N 4

### **N07**

牙邊三通 **Run Tee** 



Page N 9

#### **N08**

牙中三通 **Branch Tee** 



Page N 10








Flared


## NOO

#### 螺帽 Nut





產品編號	適用管徑 D	直牙T		HEX	I.D
PART NO.	TubeSize D	Thread T	_	TILX	2.0
N00-04	4	M7×1.0	8	9	4.2
N00-06	6	M10-24	10	12	6.2
N00-25	8	7/16-24	11	14	8.2
N00-10	10	1/2-24	12	15	10.2
N00-12	12	M17-24	14	19	12.2






產品編號	適用管徑 D	直牙 <b>T</b>		HEX	I.D
PART NO.	TubeSize D	Thread T	_	ПЕХ	į.
N00-2	1/4	M10-24	10	12	6.5
N00-25	5/16	7/16-24	11	14	8.2
N00-3	3/8	1/2-24	12	15	9.8
N00-4	1/2	M17-24	14	19	12.9

### **N01**

#### 由任接頭 Union






產品編號	適用管徑 <b>D1</b>	直牙	D2		HEX1	HEX2	I.D
PART NO.	TubeSize D1	Thread	DZ	_	ПЕХІ	ПЕЛ	שוו
N01-C04	4	M7×1.0	3.8	27	9	8	1.8
N01-C06	6	M10-24	5.6	32	12	12	3
N01-C25	8	7/16-24	6.9	34	14	12	4.5
N01-C10	10	1/2-24	8.3	36	15	12.7	5.2
N01-C12	12	M17-24	10.3	40	19	17	7

產品編號	適用管徑 <b>D</b> 1	直牙	D2		HEX1	HEX2	I.D
PART NO.	TubeSize D1	Thread	DZ	_	ПЕХІ	ПЕЛ	ט.ו
N01-C2	1/4	M10-24	5.6	32	12	12	3
N01-C25	5/16	7/16-24	6.9	34	14	12	4.5
N01-C3	3/8	1/2-24	8.3	36	15	12.7	5.2
N01-C4	1/2	M17-24	11	40	19	17	8

# N Series fast-In fittings 尼龍管飛速系列

## **N02**

#### 由任三通 **Union Tee**






產品編號	適用管徑 <b>D1</b>	直牙	D2	L	HEX1	HEX2	I.D
PART NO.	TubeSize D1	Thread	D2	-	HEXT	HEAZ	U.U
N02-T04	4	M7×1.0	3.8	19.7	9	8.5	1.8
N02-T06	6	M10-24	5.6	21.5	12	8.5	3
N02-T25	8	7/16-24	6.9	23	14	8.5	4.5
N02-T10	10	1/2-24	8.3	24	15	8.5	5.2
N02-T12	12	M17-24	10.3	29.5	19	12	7

產品編號	適用管徑 <b>D1</b>	直牙	D2	L	HEX1	HEX2	I.D
PART NO.	TubeSize D1	Thread	DZ		ПЕХІ	ПЕЛ	I.U
N02-T2	1/4	M10-24	5.6	21.5	12	8.5	3
N02-T25	5/16	7/16-24	6.9	23	14	8.5	4.5
N02-T3	3/8	1/2-24	8.3	24	15	8.5	5.2
N02-T4	1/2	M17-24	11	29.5	19	12	8

## **N03**

#### 外牙接頭 Male Connector






產品編號	管牙 T	適用管徑 D1	直牙					
PART NO.	PipeThread T	TubeSize D1	Thread	D2	L	HEX1	HEX2	I.D
N03-C05004	1/4-28UNF	4	M7×1.0	3.8	22.5	9	8	1.8
N03-C05006	1/4-28UNF	6	M10-24	5.6	25.5	12	10	3
N03-C1004	1/8	4	M7×1.0	3.8	24.5	9	10	1.8
N03-C1006	1/8	6	M10-24	5.6	27	12	10	3
N03-C1025	1/8	8	7/16-24	6.9	28	14	12	4.5
N03-C1010	1/8	10	1/2-24	8.3	29	15	12.7	5.2
N03-C2004	1/4	4	M7×1.0	3.8	28	9	14	1.8
N03-C2006	1/4	6	M10-24	5.6	30.5	12	14	3
N03-C2025	1/4	8	7/16-24	6.9	31.5	14	14	4.5
N03-C2010	1/4	10	1/2-24	8.3	32.5	15	14	5.2
N03-C2012	1/4	12	M17-24	10.3	34	19	17	7
N03-C3006	3/8	6	M10-24	5.6	30.5	12	17	3
N03-C3025	3/8	8	7/16-24	6.9	31.5	14	17	4.5
N03-C3010	3/8	10	1/2-24	8.3	32.5	15	17	5.2
N03-C3012	3/8	12	M17-24	10.3	34	19	17	7
N03-C4006	1/2	6	M10-24	5.6	34	12	21	3
N03-C4025	1/2	8	7/16-24	6.9	35	14	21	4.5
N03-C4010	1/2	10	1/2-24	8.3	36	15	21	5.2
N03-C4012	1/2	12	M17-24	10.3	37.5	19	21	7

	**-							
產品編號	管牙 T	適用管徑 D1	直牙	D2	L	HEX1	HEX2	I.D
PART NO.	PipeThread T	TubeSize D1	Thread	DZ	_	IILXI	TILAZ	טוו
N03-C0502	1/4-28UNF	1/4	M10-24	5.6	25.5	12	10	3
N03-C102	1/8	1/4	M10-24	5.6	27	12	10	3
N03-C1025	1/8	5/16	7/16-24	6.9	28	14	12	4.5
N03-C103	1/8	3/8	1/2-24	8.3	29	15	12.7	5.2
N03-C202	1/4	1/4	M10-24	5.6	30.5	12	14	3
N03-C2025	1/4	5/16	7/16-24	6.9	31.5	14	14	4.5
N03-C203	1/4	3/8	1/2-24	8.3	32.5	15	14	5.2
N03-C204	1/4	1/2	M17-24	11	34	19	17	8
N03-C302	3/8	1/4	M10-24	5.6	30.5	12	17	3
N03-C3025	3/8	5/16	7/16-24	6.9	31.5	14	17	4.5
N03-C303	3/8	3/8	1/2-24	8.3	32.5	15	17	5.2
N03-C304	3/8	1/2	M17-24	11	34	19	17	8
N03-C402	1/2	1/4	M10-24	5.6	34	12	21	3
N03-C4025	1/2	5/16	7/16-24	6.9	35	14	21	4.5
N03-C403	1/2	3/8	1/2-24	8.3	36	15	21	5.2
N03-C404	1/2	1/2	M17-24	11	37.5	19	21	8

## Series Fast-In fittings 尼龍管飛速系列

## **N04**

#### 內牙接頭 Female Connector






產品編號	內管牙T	適用管徑 <b>D1</b>	直牙					
PART NO.	PipeThread T	TubeSize D1	Thread	D2	L	HEX1	HEX2	I.D
N04-CM1004	1/8	4	M7×1.0	3.8	23	9	12	1.8
N04-CM1006	1/8	6	M10-24	5.6	25.5	12	12	3
N04-CM1025	1/8	8	7/16-24	6.9	26.5	14	12	4.5
N04-CM2006	1/4	6	M10-24	5.6	28.5	12	17	3
N04-CM2025	1/4	8	7/16-24	6.9	29.5	14	17	4.5
N04-CM2010	1/4	10	1/2-24	8.3	30.5	15	17	5.2
N04-CM2012	1/4	12	M17-24	10.3	32	19	17	7
N04-CM3006	3/8	6	M10-24	5.6	28.5	12	21	3
N04-CM3025	3/8	8	7/16-24	6.9	29.5	14	21	4.5
N04-CM3010	3/8	10	1/2-24	8.3	30.5	15	21	5.2
N04-CM3012	3/8	12	M17-24	10.3	32	19	21	7
N04-CM4006	1/2	6	M10-24	5.6	32	12	24	3
N04-CM4025	1/2	8	7/16-24	6.9	33	14	24	4.5
N04-CM4010	1/2	10	1/2-24	8.3	34	15	24	5.2
N04-CM4012	1/2	12	M17-24	10.3	35.5	19	24	7

產品編號	內管牙T	適用管徑 D1	直牙	D2	L	HEX1	HEX2	I.D
PART NO.	PipeThread T	TubeSize D1	Thread	D2	_	ПЕХІ	ПЕХ	I.U
N04-CM102	1/8	1/4	M10-24	5.6	25.5	12	12	3
N04-CM1025	1/8	5/16	7/16-24	6.9	26.5	14	12	4.5
N04-CM202	1/4	1/4	M10-24	5.6	28.5	12	17	3
N04-CM2025	1/4	5/16	7/16-24	6.9	29.5	14	17	4.5
N04-CM203	1/4	3/8	1/2-24	8.3	30.5	15	17	5.2
N04-CM204	1/4	1/2	M17-24	11	32	19	17	8
N04-CM302	3/8	1/4	M10-24	5.6	28.5	12	21	3
N04-CM3025	3/8	5/16	7/16-24	6.9	29.5	14	21	4.5
N04-CM303	3/8	3/8	1/2-24	8.3	30.5	15	21	5.2
N04-CM304	3/8	1/2	M17-24	11	32	19	21	8
N04-CM402	1/2	1/4	M10-24	5.6	32	12	24	3
N04-CM4025	1/2	5/16	7/16-24	6.9	33	14	24	4.5
N04-CM403	1/2	3/8	1/2-24	8.3	34	15	24	5.2
N04-CM404	1/2	1/2	M17-24	11	35.5	19	24	8

## **N05**

#### 內牙彎頭 Female Elbow





產品編號	內管牙T	適用管徑 <b>D1</b>	直牙	D0			LIEV4	LIEVO	
PART NO.	PipeThread T	TubeSize D1	Thread	D2	L1	L2	HEX1	HEX2	I.D
N05-LM1006	1/8	6	M10-24	5.6	23	21	12	10	3
N05-LM1025	1/8	8	7/16-24	6.9	23	22	14	10	4.5
N05-LM2006	1/4	6	M10-24	5.6	26	22.5	12	10	3
N05-LM2025	1/4	8	7/16-24	6.9	26	23.5	14	10	4.5
N05-LM2010	1/4	10	1/2-24	8.3	26	24.5	15	10	5.2
N05-LM2012	1/4	12	M17-24	10.3	27	29	19	14	7
N05-LM3006	3/8	6	M10-24	5.6	28	25	12	14	3
N05-LM3025	3/8	8	7/16-24	6.9	28	26	14	14	4.5
N05-LM3010	3/8	10	1/2-24	8.3	28	27	15	14	5.2
N05-LM3012	3/8	12	M17-24	10.3	28	29	19	14	7


產品編號	內管牙 <b>T</b>	適用管徑 <b>D1</b>	直牙						
PART NO.	PipeThread T	TubeSize D1	Thread	D2	L1	L2	HEX1	HEX2	I,D
N05-LM102	1/8	1/4	M10-24	5.6	23	21	12	10	3
N05-LM1025	1/8	5/16	7/16-24	6.9	23	22	14	10	4.5
N05-LM202	1/4	1/4	M10-24	5.6	26	22,5	12	10	3
N05-LM2025	1/4	5/16	7/16-24	6.9	26	23.5	14	10	4.5
N05-LM203	1/4	3/8	1/2-24	8.3	26	24.5	15	10	5.2
N05-LM204	1/4	1/2	M17-24	11	27	29	19	14	8
N05-LM302	3/8	1/4	M10-24	5.6	28	25	12	14	3
N05-LM3025	3/8	5/16	7/16-24	6.9	28	26	14	14	4.5
N05-LM303	3/8	3/8	1/2-24	8.3	28	27	15	14	5.2
N05-LM304	3/8	1/2	M17-24	11	28	29	19	14	7

# Series fast-In fittings 尼龍管飛速系列

適用管徑 D1

## **N06**

#### 外牙彎頭 **Male Elbow**






<b>座 四角 新</b>	官才「	週用官性 DT	且才	D2	L1	L2	HEX1	HEX2	I.D
PART NO.	PipeThread T	TubeSize D1	Thread	DZ	LI	L2	ПЕХІ	ПЕХ	טו
N06-L05004	1/4-28UNF	4	M7×1.0	3.7	16.5	17.7	9	8.5	1.8
N06-L05006	1/4-28UNF	6	M10-24	5.6	16.5	19.2	12	8.5	3
N06-L1004	1/8	4	M7×1.0	3.7	17.9	17.7	9	8.5	1.8
N06-L1006	1/8	6	M10-24	5.6	17.9	19.2	12	8.5	3
N06-L1025	1/8	8	7/16-24	6.9	17.9	20.7	14	8.5	4.5
N06-L1010	1/8	10	1/2-24	8.3	17.9	22	15	8.5	5
N06-L2004	1/4	4	M7×1.0	3.7	23	19	9	10	1.8
N06-L2006	1/4	6	M10-24	5.6	23	21	12	10	3
N06-L2025	1/4	8	7/16-24	6.9	23	22	14	10	4.5
N06-L2010	1/4	10	1/2-24	8.3	23	23	15	10	5.2
N06-L2012	1/4	12	M17-24	10.3	24.5	26	19	12	7
N06-L3006	3/8	6	M10-24	5.6	23.3	22.5	12	10	3
N06-L3025	3/8	8	7/16-24	6.9	23.3	23.5	14	10	4.5
N06-L3010	3/8	10	1/2-24	8.3	23.3	24.5	15	10	5.2
N06-L3012	3/8	12	M17-24	10.3	24.3	28	19	12	7
N06-L4006	1/2	6	M10-24	5.6	28.5	25	12	14	3
N06-L4025	1/2	8	7/16-24	6.9	28.5	26	14	14	4.5
N06-L4010	1/2	10	1/2-24	8.25	28.5	27	15	14	5.2
N06-L4012	1/2	12	M17-24	10.3	28.5	29	19	14	7

產品編號	管牙 T	適用管徑 <b>D1</b>	直牙	<b>D</b> 0			LIEV4	LIEVO	
PART NO.	PipeThread T	TubeSize D1	Thread	D2	L1	L2	HEX1	HEX2	I.D
N06-L0502	1/4-28UNF	1/4	M10-24	5.6	16.5	19.2	12	8.5	3
N06-L102	1/8	1/4	M10-24	5.6	17.9	19.2	12	8.5	3
N06-L1025	1/8	5/16	7/16-24	6.9	17.9	20.7	14	8.5	4.5
N06-L103	1/8	3/8	1/2-24	8.3	17.9	22	15	8.5	5
N06-L202	1/4	1/4	M10-24	5.6	23	21	12	10	3
N06-L2025	1/4	5/16	7/16-24	6.9	23	22	14	10	4.5
N06-L203	1/4	3/8	1/2-24	8.3	23	23	15	10	5.2
N06-L204	1/4	1/2	M17-24	11	24.5	26	19	12	7
N06-L302	3/8	1/4	M10-24	5.6	23.3	22.5	12	10	3
N06-L3025	3/8	5/16	7/16-24	6.9	23.3	23.5	14	10	4.5
N06-L303	3/8	3/8	1/2-24	8.3	23.3	24.5	15	10	5.2
N06-L304	3/8	1/2	M17-24	11	24.3	28	19	12	7
N06-L402	1/2	1/4	M10-24	5.6	28.5	25	12	14	3
N06-L4025	1/2	5/16	7/16-24	6.9	28.5	26	14	14	4.5
N06-L403	1/2	3/8	1/2-24	8.3	28.5	27	15	14	5.2
N06-L404	1/2	1/2	M17-24	11	28.5	29	19	14	8

## **N07**

#### 牙邊三通 **Male Run Tee**






產品編號	管牙 T	適用管徑 D1	直牙				LIEV4	LIEVO	
PART NO.	PipeThread T	TubeSize D1	Thread	D2	L1	L2	HEX1	HEX2	I.D
N07-T1004	1/8	4	M7×1.0	3.7	18.2	19.5	9	8.5	1.8
N07-T1006	1/8	6	M10-24	5.6	18.2	21.5	12	8.5	3
N07-T1025	1/8	8	7/16-24	6.9	18.2	23	14	8.5	4.5
N07-T1010	1/8	10	1/2-24	8.3	18.2	24	15	8.5	5
N07-T2006	1/4	6	M10-24	5.6	22.5	22	12	10	3
N07-T2025	1/4	8	7/16-24	6.9	22.5	23	14	10	4.5
N07-T2010	1/4	10	1/2-24	8.3	22.5	24	15	10	5.2
N07-T2012	1/4	12	M17-24	10.3	24	29.5	19	12	7
N07-T3006	3/8	6	M10-24	5.6	22.3	22.5	12	10	3
N07-T3025	3/8	8	7/16-24	6.9	22.3	23	14	10	4.5
N07-T3010	3/8	10	1/2-24	8.3	22.3	24	15	10	5.2
N07-T3012	3/8	12	M17-24	10.3	24.7	29.5	19	12	7
N07-T4006	1/2	6	M10-24	5.6	27.5	25	12	14	3
N07-T4025	1/2	8	7/16-24	6.9	27.5	26	14	14	4.5
N07-T4010	1/2	10	1/2-24	8.3	27.5	27	15	14	5.2
N07-T4012	1/2	12	M17-24	10.3	29.5	29.5	19	14	7

產品編號	管牙 <b>T</b>	適用管徑 <b>D1</b>	直牙						
PART NO.	PipeThread T	TubeSize D1	Thread	D2	L1	L2	HEX1	HEX2	I.D
N07-T102	1/8	1/4	M10-24	5.6	18.2	21.5	12	8.5	3
N07-T1025	1/8	5/16	7/16-24	6.9	18.2	23	14	8.5	4.5
N07-T103	1/8	3/8	1/2-24	8.3	18.2	24	15	8.5	5
N07-T202	1/4	1/4	M10-24	5.6	22.5	22	12	10	3
N07-T2025	1/4	5/16	7/16-24	6.9	22.5	23	14	10	4.5
N07-T203	1/4	3/8	1/2-24	8.3	22.5	24	15	10	5.2
N07-T204	1/4	1/2	M17-24	11	24	29.5	19	12	7
N07-T302	3/8	1/4	M10-24	5.6	22.3	22.5	12	10	3
N07-T3025	3/8	5/16	7/16-24	6.9	22.3	23	14	10	4.5
N07-T303	3/8	3/8	1/2-24	8.3	22.3	24	15	10	5.2
N07-T304	3/8	1/2	M17-24	11	24.7	29.5	19	12	7
N07-T402	1/2	1/4	M10-24	5.6	27.5	25	12	14	3
N07-T4025	1/2	5/16	7/16-24	6.9	27.5	26	14	14	4.5
N07-T403	1/2	3/8	1/2-24	8.3	27.5	27	15	14	5.2
N07-T404	1/2	1/2	M17-24	11	29.5	29.5	19	14	8

# Series Fast-In Fittings 尼龍管飛速系列

## **N08**

#### 牙中三通 **Male Branch Tee**






產品編號	管牙 T	適用管徑 D1	直牙						
PART NO.	PipeThread T	TubeSize D1	Thread	D2	L1	L2	HEX1	HEX2	I.D
N08-T1004	1/8	4	M7×1.0	3.7	18.2	19.5	9	8.5	1.8
N08-T1006	1/8	6	M10-24	5.6	18.2	21.5	12	8.5	3
N08-T1025	1/8	8	7/16-24	6.9	18.2	23	14	8.5	4.5
N08-T1010	1/8	10	1/2-24	8.3	18.2	24	15	8.5	5
N08-T2006	1/4	6	M10-24	5.6	22.5	22	12	10	3
N08-T2025	1/4	8	7/16-24	6.9	22.5	23	14	10	4.5
N08-T2010	1/4	10	1/2-24	8.3	22.5	24	15	10	5.2
N08-T2012	1/4	12	M17-24	10.3	24	29.5	19	12	7
N08-T3006	3/8	6	M10-24	5.6	22.3	22	12	10	3
N08-T3025	3/8	8	7/16-24	6.9	22.3	23	14	10	4.5
N08-T3010	3/8	10	1/2-24	8.3	22.2	24	15	10	5.2
N08-T3012	3/8	12	M17-24	10.3	24.7	29.5	19	12	7
N08-T4006	1/2	6	M10-24	5.6	27.5	25.5	12	14	3
N08-T4025	1/2	8	7/16-24	6.9	27.5	26	14	14	4.5
N08-T4010	1/2	10	1/2-24	8.3	27.5	27	15	14	5.2
N08-T4012	1/2	12	M17-24	10.3	29.5	29.5	19	14	7

產品編號	管牙 T	適用管徑 <b>D1</b>	直牙						
PART NO.	PipeThread T	TubeSize D1	Thread	D2	L1	L2	HEX1	HEX2	I.D
N08-T102	1/8	1/4	M10-24	5.6	18.2	21.5	12	8.5	3
N08-T1025	1/8	5/16	7/16-24	6.9	18.2	23	14	8.5	4.5
N08-T103	1/8	3/8	1/2-24	8.3	18.2	24	15	8.5	5
N08-T202	1/4	1/4	M10-24	5.6	22.5	22	12	10	3
N08-T2025	1/4	5/16	7/16-24	6.9	22.5	23	14	10	4.5
N08-T203	1/4	3/8	1/2-24	8.3	22.5	24	15	10	5.2
N08-T204	1/4	1/2	M17-24	11	24	29.5	19	12	7
N08-T302	3/8	1/4	M10-24	5.6	22,3	22	12	10	3
N08-T3025	3/8	5/16	7/16-24	6.9	22.3	23	14	10	4.5
N08-T303	3/8	3/8	1/2-24	8.3	22.2	24	15	10	5.2
N08-T304	3/8	1/2	M17-24	11	24.7	29.5	19	12	7
N08-T402	1/2	1/4	M10-24	5.6	27.5	25.5	12	14	3
N08-T4025	1/2	5/16	7/16-24	6.9	27.5	26	14	14	4.5
N08-T403	1/2	3/8	1/2-24	8.3	27.5	27	15	14	5.2
N08-T404	1/2	1/2	M17-24	11	29.5	29.5	19	14	8

## **N09**

#### 由任彎頭 **Union Elbow**






產品編號	適用管徑 <b>D1</b>	直牙	<b>D</b> 0		LIEV4	LIEVO	
PART NO.	TubeSize D1	Thread	D2	L	HEX1	HEX2	I.D
N09-L04	4	M7×1.0	3.7	20.2	9	8.5	1.8
N09-L06	6	M10-24	5.6	21.5	12	8.5	3
N09-L25	8	7/16-24	6.9	23	14	8.5	4.5
N09-L10	10	1/2-24	8.3	24	15	8.5	5.2
N09-L12	12	M17-24	10.3	29.5	19	12	7

產品編號	適用管徑 <b>D1</b>	直牙	20		1157/4	LIEVO	
PART NO.	TubeSize D1	Thread	D2	L	HEX1	HEX2	I.D
N09-L2	1/4	M10-24	5.6	21.5	12	8.5	3
N09-L25	5/16	7/16-24	6.9	23	14	8.5	4.5
N09-L3	3/8	1/2-24	8.3	24	15	8.5	5.2
N09-L4	1/2	M17-24	11	29.5	19	12	8

## **N10**

#### 夾壁式由任接頭 Bulkhead Union




產品編號	適用管徑 <b>D1</b>	直牙	D2	L1	L2 最小	L2 最大	HEX1	HEX2	I.D
PART NO.	TubeSize D1	Thread	DZ	LI	L2 min	L2 max	HEXT	ПЕХ	ט.ו
N10-C06	6	M10-24	5.6	43.5	2	7	12	16	3
N10-C25	8	7/16-24	6.9	44.5	2	6	14	16	4.5
N10-C10	10	1/2-24	8.3	46.5	2	6.5	15	16	5.2




產品編號	適用管徑 <b>D1</b>	直牙	D2	L1	L2 最小	L2 最大	HEX1	HEX2	I.D
PART NO.	TubeSize D1	Thread	DZ	LI	L2 min	L2 max	ПЕХІ	ПЕЛ	ט.ו
N10-C2	1/4	M10-24	5.6	43.5	2	7	12	16	3
N10-C25	5/16	7/16-24	6.9	44.5	2	6	14	16	4.5
N10-C3	3/8	1/2-24	8.3	46.5	2	6.5	15	16	5.2


# **S** Compression Fittings



**S series** Compression Fittings 銅珠套管系列

### S Compression Fittings 銅珠套管系列





#### 特點

應用於液態流體或氣體之傳遞。

不需擴孔, 焊接或做任何管子上的處理, 且容易組裝。用於紅銅, 黃銅, 鋁等金屬管, 不可用於鋼管。

配合支撐插套則可使用於熱塑管(或可參考NF系列產品)。 此類接件是依據SAE-J512為參考標準而設計。

#### 材質

接頭、銅珠、螺帽均採用黃銅JIS3604材質加工而成。 彎頭、三涌均採用黃銅JIS3771材質鍛造並加工而成。

#### 工作溫度

金屬管使用於-54°C~+121°C 熱塑管則根據可使用之溫度而定。

#### 工作壓力

使用金屬管 100~140 Bar

在室溫20 C的情況下使用熱塑管

5Bar

O.D. 1/8" 28Bar O.D. 1/4" 20Bar O.D. 3/8" 14Bar O.D. 1/2" 14Bar O.D. 5/8" 10Bar O.D. 3/4" 7Bar

#### 組裝步驟

O.D. 7/8"

1.正交的剪切管到所需長度,並清除去管子毛邊。

2.依序將螺帽與銅珠穿過管,螺帽螺紋端要朝外側。

3.將管子放入接件中,確定碰觸到接件內孔底端。

4. 先用手旋緊螺帽與主體。

5.再用板手順時鐘旋緊數圈,旋緊圈數請依據下列表 中數據進行。

#### Characteristic

Use for liquids or air. No flaring, soldering or other preparation of tubing necessary to assemble.

Use with copper, brass, aluminum and thermoplastic tubing. No recommended for steel tubing.

#### Materia

Connectors, nuts, sleeves are machined from brass JIS3604 Elbows, tees are forged and machined from brass JIS3771

#### **Working Temperature**

From -65°F~250°F with soft metal tubing.

For thermoplastic tubing, see manufacturers recommendation.

#### Working Pressure

With soft metal tubing 1500PSI~2000PSI

With thermoplastic tubing under 68° F temperature

O.D. 1/8" 400PSI O.D. 1/4" 300PSI O.D. 3/8" 200PSI O.D. 1/2" 200PSI O.D. 5/8" 150PSI O.D. 3/4" 100PSI

#### **Assembly Instruction**

75PSI

O.D. 7/8"

- 1. Cut tubing squarely and clean tube end to remove burrs.
- 2. Slide nut and sleeve onto tubing, place threaded end of nut face out.
- 3. Insert the tube into the fitting. Be sure the tube is bottomed on the fitting shoulder.
- 4. Assemble nut to body, and tighten "hand-tight".
- 5. Then follow the number of wrench turns as indicated in the following table.

管徑 To	ubeSize	需要圈數 Turns requ	ired from hand-tight
Inch	metric	軟金屬管 With soft metal tubing	熱塑管 With thermoplastic tubing
1/8"	4mm	1.5~2.5	-
3/16"	5mm	1.5~2.5	-
1/4"	6mm	1.5~2.5	2.5
5/16"	8mm	1.5~2.5	2.5
3/8"	10mm	2~3	3
1/2"	12mm	2~3	3
5/8"	15mm	2~3	3
3/4"	. 1	2~3	3
7/8"	-	2~3	-

## S Compression Fittings 銅珠套管系列







Page S 3

**S00** 英制螺帽 **Inch Nut** 



Page S 3

**S01** 銅珠 Sleeve



Page S 3

**S12** 

油塞 Plug



Page S 14

**S02** 由任接頭



Page S 4

Union





Page S 4

**S11** 夾壁式由任接頭 Bulkhead Union



Page S 14

### **S05**

外牙接頭 Male Connector



Page S 6-S 7


#### **S06**

內牙接頭 **Female** Connector




Page S 8











**S03** 由任彎頭 **Union Elbow** 



Page S 5

**S07** 外牙彎頭 Male Elbow



Page S 9-S 10

**S13** 45°外牙彎頭






**S08** 


內牙彎頭



**Female Elbow** 

Page S 11





**S04** 由任三通 **Union Tee** 



Page S 5

**S09** 牙中三通 **Branch Tee** 





Page S 12

**S10** 牙邊三通 Run Tee




Page S 13





## **S00**

螺帽 Nut






產品編號	適用管徑 D	直牙 <b>T</b>		HEX	I.D
PART NO.	TubeSize D	Thread T	-	ПЕХ	1.0
S00-04	4	M8×1.0	9.3	9.5	4.3
S00-05	5	M10×1.0	10	12	5.3
S00-2	6	M11×1.0	11	14	6.7
S00-25	8	1/2-24	12	16	8.3
S00-10	10	9/16-24	12.5	17	10.3
S00-12	12	11/16-20	14	21	12.3
S00-M15	15	13/16-18	15	24	15.3

產品編號	適用管徑 D	直牙 <b>T</b>		HEX	I.D
PART NO.	TubeSize D	Thread T	L		I.U
S00-1	1/8	M8×1.0	9.3	9.5	3.5
S00-05	3/16	M10×1.0	10	12	5.3
S00-2	1/4	M11×1.0	11	14	6.7
S00-25	5/16	1/2-24	12	16	8.3
S00-3	3/8	9/16-24	12.5	17	9.9
S00-4	1/2	11/16-20	14	21	13
S00 <b>-</b> 5	5/8	13/16-18	15	24	16.2
S00-6	3/4	1"-18	16.5	30	19.4
S00-7	7/8	1"1/8-18	17	32	22.5

**S01** 

銅珠 **Sleeve** 






產品編號	適用管徑 D1		D2	15
PART NO.	TubeSize D1	_	DZ	I.D
S01-04	4	5	6	4.2
S01-05	5	6	7	5.2
S01-06	6	6	8.5	6.2
S01-10	10	8	12.5	10.2
S01-12	12	8.5	15	12.2
S01-M15	15	8	18	15,2

產品編號	適用管徑 D1		D2	I.D
PART NO.	TubeSize D1	_	DZ	ט.ו
S01-1	1/8	5	5.5	3.3
S01-15	3/16	6	7	4.9
S01-2	1/4	6	8.5	6.5
S01-25	5/16	7	11	8.2
S01-3	3/8	8	12.5	9.7
S01-4	1/2	8.5	15.9	12.9
S01-5	5/8	8	19	16.1
S01-6	3/4	8.5	22	19.3
S01-7	7/8	9	25.4	22.4

## **S02**

#### 由任接頭 Union






產品編號	適用管徑 D	直牙		HEX1	HEX2
PART NO.	TubeSize D	Thread		ПЕХІ	ПЕЛ2
S02-C05	5	M10×1.0	21	12	12
S02-C06	6	M11×1.0	22	14	12
S02-C25	8	1/2-24	23	16	14
S02-C10	10	9/16-24	24	17	15
S02-C12	12	11/16-20	26	21	19
S02-CM15	15	13/16-18	29	24	21

產品編號	適用管徑 D	直牙	L	HEX1	HEX2
PART NO.	TubeSize D	Thread		ПЕХІ	ПЕЛ
S02-C1	1/8	M8×1.0	20	9.5	12
S02-C15	3/16	M10×1.0	21	12	12
S02-C2	1/4	M11×1.0	22	14	12
S02-C25	5/16	1/2-24	23	16	14
S02-C3	3/8	9/16-24	24	17	15
S02-C4	1/2	11/16-20	26	21	19
S02-C5	5/8	13/16-18	29	24	21
S02-C6	3/4	1"-18	31	30	26
S02-C7	7/8	1"1/8-18	32	32	30

## **S02**

#### 減壓由任接頭 Union Reducer




產品編號	適用管徑 D1	<b>D1</b> 直牙	適用管徑 D2	D2 直牙		UEV4	HEX2	UEV2
PART NO.	TubeSize D1	D1 Thread	TubeSize D2	D2 Thread		ПЕХІ	ПЕЛ	пЕХЗ
S02-C06010	10	9/16-24	6	M11×1.0	23	17	14	15
S02-C10012	12	11/16-20	10	9/16-24	25.5	21	17	19



產品編號	適用管徑 D1	<b>D1</b> 直牙	適用管徑 <b>D2</b>	D2 直牙		UEV4	HEX2	UEV2
PART NO.	TubeSize D1	D1 Thread	TubeSize D2	D2 Thread	-	ПЕХІ	ПЕЛ	TILXS
S02-C203	3/8	9/16-24	1/4	M11×1.0	23	17	14	15
S02-C304	1/2	11/16-20	3/8	9/16-24	25.5	21	17	19
S02-C305	5/8	13/16-18	3/8	9/16-24	27	24	17	21

## **S03**

#### **Union Elbow**






產品編號	適用管徑 D	直牙		HEX1	HEX2
PART NO.	TubeSize D	Thread	_	ПЕХІ	ПЕЛ
S03-L05	5	M10×1.0	15.5	12	9.5
S03-L06	6	M11×1.0	16.5	14	9.5
S03-L25	8	1/2-24	19.2	16	11
S03-L10	10	9/16-24	21	17	13
S03-L12	12	11/16-20	23	21	13
S03-LM15	15	13/16-18	26	24	17

產品編號	適用管徑 D	直牙	L	HEX1	HEX2
PART NO.	TubeSize D	Thread	_	ПЕХІ	ПЕЛ2
S03-L1	1/8	M8×1.0	15	9.5	9.5
S03-L15	3/16	M10×1.0	15.5	12	9.5
S03-L2	1/4	M11×1.0	16.5	14	9.5
S03-L25	5/16	1/2-24	19.2	16	11
S03-L3	3/8	9/16-24	21	17	13
S03-L4	1/2	11/16-20	23	21	13
S03-L5	5/8	13/16-18	26	24	17
S03-L6	3/4	1"-18	27.9	30	21

**S04** 

#### 由任三通 **Union Tee**






產品編號	適用管徑 D	直牙		HEX1	HEX2
PART NO.	TubeSize D	Thread	_	ПЕХІ	ПЕЛ2
S04-T05	5	M10×1.0	16.5	12	9.5
S04-T06	6	M11×1.0	18	14	9.5
S04-T25	8	1/2-24	18.5	16	11
S04-T10	10	9/16-24	21	17	12
S04-T12	12	11/16-20	25	21	15

產品編號	適用管徑 D	直 牙		HEX1	HEX2
PART NO.	TubeSize D	Thread	_	ПЕХІ	ПЕЛ
S04-T1	1/8	M8×1.0	15.5	9.5	9.5
S04-T15	3/16	M10×1.0	16.5	12	9.5
S04-T2	1/4	M11×1.0	18	14	9.5
S04-T25	5/16	1/2-24	18.5	16	11
S04-T3	3/8	9/16-24	21	17	12
S04-T4	1/2	11/16-20	25	21	15
S04-T5	5/8	13/16-18	28	24	17

## **S05**

#### 外牙接頭 **Male Connector**





產品編號	適用管徑 D	管牙 T	直牙		L	LIEV4	LIEVA
PART NO.	TubeSize D	PipeThread T	Thread	I.D	_	HEX1	HEX2
S05-C1004	4	1/8	M8×1.0	3.5	21	9.5	12
S05-C1005	5	1/8	M10×1.0	4	21.5	12	12
S05-C1006	6	1/8	M11×1.0	5.5	22	14	12
S05-C1025	8	1/8	1/2-24	5.5	22.5	16	14
S05-C1010	10	1/8	9/16-24	5.5	23	17	15
S05-C2004	4	1/4	M8×1.0	3.5	24	9.5	14
S05-C2005	5	1/4	M10×1.0	4	24.5	12	14
S05-C2006	6	1/4	M11×1.0	5.5	25	14	14
S05-C2025	8	1/4	1/2-24	7	25.5	16	14
S05-C2010	10	1/4	9/16-24	8	26	17	15
S05-C2012	12	1/4	11/16-20	8	27.5	21	19
S05-C3006	6	3/8	M11×1.0	5.5	25	14	17
S05-C3025	8	3/8	1/2-24	7	25.5	16	17
S05-C3010	10	3/8	9/16-24	8	26	17	17
S05-C3012	12	3/8	11/16-20	10.5	27.5	21	19
S05-C30M15	15	3/8	13/16-18	10.5	29.5	24	21
S05-C4006	6	1/2	M11×1.0	5.5	28.5	14	21
S05-C4025	8	1/2	1/2-24	7	29	16	21
S05-C4010	10	1/2	9/16-24	8	29.5	17	21
S05-C4012	12	1/2	11/16-20	11	30	21	21
S05-C40M15	15	1/2	13/16-18	14	32	24	21


**S05** 

外牙接頭 **Male Connector** 

產品編號	適用管徑 D	管牙T	直 牙			11574	HEVO
PART NO.	TubeSize D	PipeThread T	Thread	I.D	L	HEX1	HEX2
S05-C101	1/8	1/8	M8×1.0	3	21	9.5	12
S05-C1015	3/16	1/8	M10×1.0	4	21.5	12	12
S05-C102	1/4	1/8	M11×1.0	5.5	22	14	12
S05-C1025	5/16	1/8	1/2-24	5.5	22.5	16	14
S05-C103	3/8	1/8	9/16-24	5.5	23	17	15
S05-C201	1/8	1/4	M8×1.0	3	24	9.5	14
S05-C2015	3/16	1/4	M10×1.0	4	24.5	12	14
S05-C202	1/4	1/4	M11×1.0	5.5	25	14	14
S05-C2025	5/16	1/4	1/2-24	7	25.5	16	14
S05-C203	3/8	1/4	9/16-24	8	26	17	15
S05-C204	1/2	1/4	11/16-20	8	27.5	21	19
S05-C302	1/4	3/8	M11×1.0	5.5	25	14	17
S05-C3025	5/16	3/8	1/2-24	7	25.5	16	17
S05-C303	3/8	3/8	9/16-24	8	26	17	17
S05-C304	1/2	3/8	11/16-20	10.5	27.5	21	19
S05-C305	5/8	3/8	13/16-18	10.5	29.5	24	21
S05-C402	1/4	1/2	M11×1.0	5.5	28.5	14	21
S05-C4025	5/16	1/2	1/2-24	7	29	16	21
S05-C403	3/8	1/2	9/16-24	8	29.5	17	21
S05-C404	1/2	1/2	11/16-20	11	30	21	21
S05-C405	5/8	1/2	13/16-18	14	32	24	21
S05-C603	3/8	3/4	9/16-24	8	31	17	27
S05-C604	1/2	3/4	11/16-20	11	31.5	21	27
S05-C605	5/8	3/4	13/16-18	14	33.5	24	27
S05-C606	3/4	3/4	1"-18	16	34.5	30	27

## **S06**

#### 內牙接頭 **Female Connector**






產品編號	適用管徑 D	內管牙 <b>T</b>	直牙	I.D	L	HEX1	HEX2
PART NO.	TubeSize D	PipeThread T	Thread	I.D		ПЕХІ	ПЕХ
S06-CM1004	4	1/8	M8×1.0	3.5	19	9.5	12
S06-CM1005	5	1/8	M10×1.0	4	19.5	12	12
S06-CM1006	6	1/8	M11×1.0	5.5	20	14	12
S06-CM1025	8	1/8	1/2-24	7	20	16	12.7
S06-CM1010	10	1/8	9/16-24	8	20	17	15
S06-CM2005	5	1/4	M10×1.0	4	22.5	12	17
S06-CM2006	6	1/4	M11×1.0	5.5	23	14	17
S06-CM2025	8	1/4	1/2-24	7	23.5	16	17
S06-CM2010	10	1/4	9/16-24	8	24	17	17
S06-CM2012	12	1/4	11/16-20	11.4	22.5	21	19
S06-CM3006	6	3/8	M11×1.0	5.5	23	14	21
S06-CM3025	8	3/8	1/2-24	7	23.5	16	21
S06-CM3010	10	3/8	9/16-24	8	24	17	21
S06-CM3012	12	3/8	11/16-20	11	24.5	21	21
S06-CM4006	6	1/2	M11×1.0	5.5	26	14	24
S06-CM4025	8	1/2	1/2-24	7	26.5	16	24
S06-CM4010	10	1/2	9/16-24	8	27	17	24
S06-CM4012	12	1/2	11/16-20	11	27.5	21	24
S06-CM40M15	15	1/2	13/16-18	14	29.5	24	24

產品編號	適用管徑 D	內管牙 <b>T</b>	直 牙				
PART NO.	TubeSizeD	PipeThread T	Thread	I.D	L	HEX1	HEX2
S06-CM101	1/8	1/8	M8×1.0	3	19	9.5	12
S06-CM1015	3/16	1/8	M10×1.0	4	19.5	12	12
S06-CM102	1/4	1/8	M11×1.0	5.5	20	14	12
S06-CM1025	5/16	1/8	1/2-24	7	20	16	12.7
S06-CM103	3/8	1/8	9/16-24	8	20	17	15
S06-CM2015	3/16	1/4	M10×1.0	4	22.5	12	17
S06-CM202	1/4	1/4	M11×1.0	5.5	23	14	17
S06-CM2025	5/16	1/4	1/2-24	7	23.5	16	17
S06-CM203	3/8	1/4	9/16-24	8	24	17	17
S06-CM204	1/2	1/4	11/16-20	11.4	22.5	21	19
S06-CM302	1/4	3/8	M11×1.0	5.5	23	14	21
S06-CM3025	5/16	3/8	1/2-24	7	23.5	16	21
S06-CM303	3/8	3/8	9/16-24	8	24	17	21
S06-CM304	1/2	3/8	11/16-20	11	24.5	21	21
S06-CM305	5/8	3/8	13/16-18	14	25.5	24	21
S06-CM402	1/4	1/2	M11×1.0	5.5	26	14	24
S06-CM4025	5/16	1/2	1/2-24	7	26.5	16	24
S06-CM403	3/8	1/2	9/16-24	8	27	17	24
S06-CM404	1/2	1/2	11/16-20	11	27.5	21	24
S06-CM405	5/8	1/2	13/16-18	14	29.5	24	24

**S07** 

#### 外牙彎頭 Male Elbow





產品編號	適用管徑 D	管牙 T	直 牙				LIEV4	HEVO
PART NO.	TubeSize D	PipeThread T	Thread	I.D	L1	L2	HEX1	HEX2
S07-L1004	4	1/8	M8×1.0	3.5	17	15	9.5	9.5
S07-L1005	5	1/8	M10×1.0	4	17	15.5	12	9.5
S07-L1006	6	1/8	M11×1.0	5.5	17	16.5	14	9.5
S07-L1025	8	1/8	1/2-24	5.5	18.4	18.4	16	10.5
S07-L1010	10	1/8	9/16-24	5.5	20	21	17	13
S07-L2004	4	1/4	M8×1.0	3.5	22.2	17.1	9.5	11
S07-L2005	5	1/4	M10×1.0	4	22.2	17.1	12	11
S07-L2006	6	1/4	M11×1.0	5.5	22.2	18.1	14	11
S07-L2025	8	1/4	1/2-24	7	23.2	18.7	16	11
S07-L2010	10	1/4	9/16-24	8	23	21	17	13
S07-L2012	12	1/4	11/16-20	8	23	23	21	13
S07-L3006	6	3/8	M11×1.0	5.5	23.2	18.7	14	11
S07-L3025	8	3/8	1/2-24	7	23.2	19.2	16	11
S07-L3010	10	3/8	9/16-24	8	24	21	17	13
S07-L3012	12	3/8	11/16-20	9	24	23	21	13
S07-L30M15	15	3/8	13/16-18	10.5	26.8	25.8	24	15
S07-L4006	6	1/2	M11×1.0	5.5	29.3	22.3	14	15
S07-L4025	8	1/2	1/2-24	7	29.3	22.8	16	15
S07-L4010	10	1/2	9/16-24	8	28.8	22.3	17	15
S07-L4012	12	1/2	11/16-20	11	29.3	25.3	21	15
S07-L40M15	15	1/2	13/16-18	13	29.7	26.2	24	17


**S07** 

外牙彎頭 **Male Elbow** 

產品編號	適用管徑 D	管牙 T	直 牙		.,		IIEV4	HEVO
PART NO.	TubeSize D	PipeThread T	Thread	I.D	L1	L2	HEX1	HEX2
S07-L101	1/8	1/8	M8×1.0	3	17	15	9.5	9.5
S07-L1015	3/16	1/8	M10×1.0	4	17	15.5	12	9.5
S07-L102	1/4	1/8	M11×1.0	5.5	17	16.5	14	9.5
S07-L1025	5/16	1/8	1/2-24	5.5	18.4	18.4	16	10.5
S07-L103	3/8	1/8	9/16-24	5.5	20	21	17	13
S07-L201	1/8	1/4	M8×1.0	3	22.2	17.1	9.5	11
S07-L2015	3/16	1/4	M10×1.0	4	22.2	17.1	12	11
S07-L202	1/4	1/4	M11×1.0	5.5	22.2	18.1	14	11
S07-L2025	5/16	1/4	1/2-24	7	23.2	18.7	16	11
S07-L203	3/8	1/4	9/16-24	8	23	21	17	13
S07-L204	1/2	1/4	11/16-20	8	23	23	21	13
S07-L302	1/4	3/8	M11×1.0	5.5	23.2	18.7	14	11
S07-L3025	5/16	3/8	1/2-24	7	23.2	19.2	16	11
S07-L303	3/8	3/8	9/16-24	8	24	21	17	13
S07-L304	1/2	3/8	11/16-20	9	24	23	21	13
S07-L305	5/8	3/8	13/16-18	10.5	26.8	25.8	24	15
S07-L402	1/4	1/2	M11×1.0	5.5	29.3	22.3	14	15
S07-L4025	5/16	1/2	1/2-24	7	29.3	22.8	16	15
S07-L403	3/8	1/2	9/16-24	8	29.3	23.3	17	15
S07-L404	1/2	1/2	11/16-20	11	29.3	25.3	21	15
S07-L405	5/8	1/2	13/16-18	13	29.7	26.2	24	17
S07-L406	3/4	1/2	1"-18	13	33.5	28.5	30	17

**S08** 

#### 內牙彎頭 **Female Elbow**






產品編號	適用管徑 D	內管牙T	直 牙	I.D	L1	L2	HEX1	HEX2
PART NO.	TubeSize D	Pipe Thread T	Thread	I.U	L	LZ	ПЕХІ	ПЕЛ2
S08-LM1004	4	1/8	M8×1.0	3.5	22.7	17.1	9.5	11
S08-LM1005	5	1/8	M10×1.0	4	22.7	17.1	12	11
S08-LM1006	6	1/8	M11×1.0	5.5	22.7	18.1	14	11
S08-LM1025	8	1/8	1/2-24	7	23.2	18.7	16	11
S08-LM1010	10	1/8	9/16-24	8	23.5	21	17	13
S08-LM2006	6	1/4	M11×1.0	5.5	26.1	18.7	14	11
S08-LM2025	8	1/4	1/2-24	7	26.1	19.2	16	11
S08-LM2010	10	1/4	9/16-24	8	26.5	21	17	13
S08-LM2012	12	1/4	11/16-20	9	27.5	23	21	13
S08-LM3006	6	3/8	M11×1.0	5.5	28.8	22.3	14	15
S08-LM3025	8	3/8	1/2-24	7	28.8	22.8	16	15
S08-LM3010	10	3/8	9/16-24	8	28.8	23.3	17	15
S08-LM3012	12	3/8	11/16-20	11	28.8	25.3	21	15

產品編號	適用管徑 D	內管牙 <b>T</b>	直 牙	I.D	L1	L2	HEX1	HEX2
PART NO.	TubeSize D	Pipe Thread T	Thread	ט.ו	-	LZ	ПЕХІ	ПЕХ
S08-LM1015	3/16	1/8	M10×1.0	4	22.7	17.1	12	11
S08-LM102	1/4	1/8	M11×1.0	5.5	22.7	18.1	14	11
S08-LM1025	5/16	1/8	1/2-24	7	23.2	18.7	16	11
S08-LM103	3/8	1/8	9/16-24	8	23.5	21	17	13
S08-LM202	1/4	1/4	M11×1.0	5.5	26.1	18.7	14	11
S08-LM2025	5/16	1/4	1/2-24	7	26.1	19.2	16	11
S08-LM203	3/8	1/4	9/16-24	8	26.5	21	17	13
S08-LM204	1/2	1/4	11/16-20	9	27.5	22	21	13
S08-LM302	1/4	3/8	M11×1.0	5.5	28.8	22,3	14	15
S08-LM3025	5/16	3/8	1/2-24	7	28.8	22.8	16	15
S08-LM303	3/8	3/8	9/16-24	8	28.8	23.3	17	15
S08-LM304	1/2	3/8	11/16-20	11	28.8	25.3	21	15

**S09** 

#### 牙中三通 **Branch Tee**






產品編號	適用管徑 D	管牙T	直 牙	I.D	L1	L2	HEX1	HEX2
PART NO.	TubeSize D	Pipe Thread T	Thread	ו.ט	١.,	LZ	ПЕХІ	ПЕЛ
S09-T1006	6	1/8	M11×1.0	5.5	18	18	14	9.5
S09-T1025	8	1/8	1/2-24	5.5	18.5	18.5	16	11
S09-T1010	10	1/8	9/16-24	5.5	20	21	17	12
S09-T2006	6	1/4	M11×1.0	5.5	21.5	18	14	11
S09-T2025	8	1/4	1/2-24	7	21.5	18.5	16	11
S09-T2010	10	1/4	9/16-24	8	23	21	17	12
S09-T2012	12	1/4	11/16-20	8	25	25	21	15
S09-T3006	6	3/8	M11×1.0	5.5	23.5	19.5	14	12
S09-T3025	8	3/8	1/2-24	7	23.5	20	16	12
S09-T3010	10	3/8	9/16-24	8	23.5	21	17	12
S09-T3012	12	3/8	11/16-20	10.5	26	25	21	15
S09-T30M15	15	3/8	13/16-18	11	25.5	26	24	17
S09-T4006	6	1/2	M11×1.0	5.5	29.4	21.5	14	15
S09-T4025	8	1/2	1/2-24	7	29.4	22	16	15
S09-T4010	10	1/2	9/16-24	8	29.4	22.5	17	15
S09-T4012	12	1/2	11/16-20	11	29.4	25	21	15
S09-T40M15	15	1/2	13/16-18	13	29.5	26	24	17

			ı					
產品編號	適用管徑 D	管牙T	直 牙	I.D	L1	L2	HEX1	HEX2
PART NO.	TubeSize D	Pipe Thread T	Thread	1	-	LZ	IILXI	TILAZ
S09-T102	1/4	1/8	M11×1.0	5.5	18	18	14	9.5
S09-T1025	5/16	1/8	1/2-24	5.5	18.5	18.5	16	11
S09-T103	3/8	1/8	9/16-24	5.5	20	21	17	12
S09-T202	1/4	1/4	M11×1.0	5.5	21.5	18	14	11
S09-T2025	5/16	1/4	1/2-24	7	21.5	18.5	16	11
S09-T203	3/8	1/4	9/16-24	8	23	21	17	12
S09-T204	1/2	1/4	11/16-20	8	25	25	21	15
S09-T302	1/4	3/8	M11×1.0	5.5	23.5	19.5	14	12
S09-T3025	5/16	3/8	1/2-24	7	23.5	20	16	12
S09-T303	3/8	3/8	9/16-24	8	23.5	21	17	12
S09-T304	1/2	3/8	11/16-20	10.5	26	25	21	15
S09-T305	5/8	3/8	13/16-18	11	25.5	26	24	17
S09-T402	1/4	1/2	M11×1.0	5.5	29.4	21.5	14	15
S09-T4025	5/16	1/2	1/2-24	7	29.4	22	16	15
S09-T403	3/8	1/2	9/16-24	8	29.4	22.5	17	15
S09-T404	1/2	1/2	11/16-20	11	29.4	25	21	15
S09-T405	5/8	1/2	13/16-18	13	29.5	26	24	17

**S10** 

#### 牙邊三通 Run Tee






產品編號	適用管徑 D	管 牙 T	直 牙	I.D	L1	L2	HEX1	HEX2
PART NO.	TubeSize D	Pipe Thread T	Thread	1.0		LZ	ПЕХІ	ПЕХ
S10-T1006	6	1/8	M11×1.0	5.5	18	18	14	9.5
S10-T1025	8	1/8	1/2-24	5.5	18.5	18.5	16	11
S10-T1010	10	1/8	9/16-24	5.5	20	21	17	12
S10-T2006	6	1/4	M11×1.0	5.5	21.5	18	14	11
S10-T2025	8	1/4	1/2-24	7	21.5	18.5	16	11
S10-T2010	10	1/4	9/16-24	8	23	21	17	12
S10-T2012	12	1/4	11/16-20	8	25	25	21	15
S10-T3006	6	3/8	M11×1.0	5.5	23.5	19.5	14	12
S10-T3025	8	3/8	1/2-24	7	23.5	20	16	12
S10-T3010	10	3/8	9/16-24	8	23.5	21	17	12
S10-T3012	12	3/8	11/16-20	10.5	26	25	21	15
S10-T30M15	15	3/8	13/16-18	11	25.5	26	24	17
S10-T4006	6	1/2	M11×1.0	5.5	29.4	21.5	14	15
S10-T4025	8	1/2	1/2-24	7	29.4	22	16	15
S10-T4010	10	1/2	9/16-24	8	29.4	22.5	17	15
S10-T4012	12	1/2	11/16-20	11	29.4	25	21	15
S10-T40M15	15	1/2	13/16-18	13	29.5	26	24	17

÷ - /- /	> = 65/22 ■	<i>**</i>	+ =					
產品編號 —————	適用管徑 D	管 牙 <b>T</b>	直牙	I.D	L1	L2	HEX1	HEX2
PART NO.	TubeSize D	Pipe Thread T	Thread					
S10-T102	1/4	1/8	M11×1.0	5.5	18	18	14	9.5
S10-T1025	5/16	1/8	1/2-24	5.5	18.5	18.5	16	11
S10-T103	3/8	1/8	9/16-24	5.5	20	21	17	12
S10-T202	1/4	1/4	M11×1.0	5.5	21.5	18	14	11
S10-T2025	5/16	1/4	1/2-24	7	21.5	18.5	16	11
S10-T203	3/8	1/4	9/16-24	8	23	21	17	12
S10-T204	1/2	1/4	11/16-20	8	25	25	21	15
S10-T302	1/4	3/8	M11×1.0	5.5	23.5	19.5	14	12
S10-T3025	5/16	3/8	1/2-24	7	23.5	20	16	12
S10-T303	3/8	3/8	9/16-24	8	23.5	21	17	12
S10-T304	1/2	3/8	11/16-20	10.5	26	25	21	15
S10-T305	5/8	3/8	13/16-18	11	25.5	26	24	17
S10-T402	1/4	1/2	M11×1.0	5.5	29.4	21.5	14	15
S10-T4025	5/16	1/2	1/2-24	7	29.4	22	16	15
S10-T403	3/8	1/2	9/16-24	8	29.4	22.5	17	15
S10-T404	1/2	1/2	11/16-20	11	29.4	25	21	15
S10-T405	5/8	1/2	13/16-18	13	29.5	26	24	17

## **S11**

#### 由任夾壁式接頭 Bulkhead Union




產品編號	適用管徑 D	直牙	L1	<b>L2</b> 最小	L2 最大 HEX1		HEX2
PART NO.	TubeSize D	Thread	LI	L2 min	L2 max	ПЕХІ	ПЕХ
S11-C06	6	M11×1.0	45	2	19	14	17
S11-C25	8	1/2-24	45	2	19	16	19
S11-C10	10	9/16-24	45	2	19	17	19



產品編號	適用管徑 D	直牙	L1	L2 最小 L2		HEX1	HEX2
PART NO.	TubeSize D	Thread	Li	L2 min	L2 max	ПЕХІ	ПЕЛ
S11-C2	1/4	M11×1.0	45	2	19	14	17
S11-C25	5/16	1/2-24	45	2	19	16	19
S11-C3	3/8	9/16-24	45	2	19	17	19

## **S12**

#### 油塞 Plug






產品編號	適用管徑 D	直 牙		HEX1	HEX2	
PART NO.	TubeSize D	Thread	_	ПЕХІ	ПЕЛ	
S12-C06	6	M11×1.0	13	14	12	
S12-C25	8	1/2-24	14	16	14	
S12-C10	10	9/16-24	14	17	15	

產品編號	適用管徑 D	直 牙		HEX1	HEX2
PART NO.	TubeSize D	Thread	_	ПЕХІ	ПЕЛ2
S12-C2	1/4	M11×1.0	13	14	12
S12-C25	5/16	1/2-24	14	16	14
S12-C3	3/8	9/16-24	14	17	15

## **S13**

#### 45°外牙彎頭 45° male Elbow



產品編號	適用管徑 D	管 牙 <b>T</b>	直牙	I.D	L1	L2	HEX1	HEX2
PART NO.	TubeSize D	Pipe Thread T	Thread			LZ		
S13-L1006	6	1/8	M11×1.0	5.5	16	15	14	11
S13-L1010	10	1/8	9/16-24	5.5	16	16	17	14
S13-L2006	6	1/4	M11×1.0	5.5	19	15	14	14
S13-L2010	10	1/4	9/16-24	8	19	16	17	14



產品編號	適用管徑 D	管 牙 T	直牙	I.D	D L1	L2	HEX1	HEX2
PART NO.	TubeSize D	Pipe Thread T	Thread					
S13-L102	1/4	1/8	M11×1.0	5.5	16	15	14	11
S13-L103	3/8	1/8	9/16-24	5.5	16	16	17	14
S13-L202	1/4	1/4	M11×1.0	5.5	19	15	14	14
S13-L203	3/8	1/4	9/16-24	8	19	16	17	14